APPENDIX O – BLM AND R2 REGIONAL FORESTER'S SENSITIVE SPECIES ON SJPL

O) BLM AND R2 REGIONAL FORESTERS SENSITIVE SPECIES ON SJPL: FISH, WILDLIFE, AND PLANTS

Sensitive Species	Agency	Habitat Association
BIRDS	1.55.1.53	
American bittern	FS	Marsh, swamp, or bog with cattails, rushes, grasses,
Botaurus lentiginosus		and sedges
American peregrine falcon	BLM and FS	Breeds on cliffs, often in association with riparian
Falco peregrinus anatum		areas; regular breeder SJFO administrative unit
American three-toed	FS	Mature spruce-fir forests; post-fire areas, especially
woodpecker		stand replacement events
Picoides dorsalis		
Black swift	FS	Vertical rock faces near waterfalls or in dripping
Cypseloides niger	BLM and FS	caves
Bald eagle <i>Haliaeetus americanus</i>	BLIVI and F5	Forested stands around aquatic settings
Black tern	BLM	Edges of bulrush and cattail marshes; not known to
Chlidonias niger	BLW	occur on SJFO administrative unit. Also R2 FS
ormaornas riiger		sensitive but does not occur on NFS lands within
		SJPL
Boreal owl	FS	Mature spruce-fir forests with high canopy closure
Aegolius funereus		
Brewer's sparrow	FS	Primarily sagebrush but also in mixed shrublands
Spizella breweri		(rabbitbrush, greasewood, etc.)
Columbian sharp-tailed	FS	Oak/serviceberry shrublands, often interspersed with
grouse		sagebrush; aspen forests; irrigated pasture; recently
Pediocetes phasianellus		reintroduced near Dolores, not expected for other
columbianus	BLM and FS	units Grasslands and semi-desert shrub: not known to
Ferruginous hawk	BLIVI and FS	
Buteo regalis		breed but a regular winter resident on SJFO administrative unit
Flammulated owl	FS	Open ponderosa pine forests; dry montane conifer or
Otus flammeolus	13	aspen forests, often with dense saplings
Gunnison sage grouse	BLM	Sagebrush grasslands; two small populations known
Centrocercus minimus		to be resident on SJFO administrative unit. Also R2
		FS sensitive; however, does not occur on NFS lands
		within SJPL.
Lewis' woodpecker	FS	Open ponderosa pine forest, riparian, and pinyon-
Melanerpes lewis	==	juniper woodlands
Loggerhead shrike	FS	Lowland riparian, pinyon-juniper woodlands, semi-
Lanius Iudovicianus Northern goshawk	BLM and FS	desert shrublands Ponderosa pine, aspen, mixed-conifer, and spruce-fir
Accipiter gentiles	BLIVI AITU F3	forests
Northern harrier	FS	Grasslands, agricultural lands, mountain sagebrush,
Circus cyaneus		and marshes; requires abundant cover (same as for
		short-eared owl)
Olive-sided flycatcher	FS	Snags and conifers, often on steep slopes, open
Contopus cooperi		stands, and natural openings
Purple martin	FS	Mature aspen stands near streams, springs, or ponds
Progne subis		
Short-eared owl	FS	Open habitats including grasslands, marsh edges,
Asio flammeus		shrub-steppe, and agricultural lands; requires taller
Wootorn burneyday and	TC .	grass cover than northern harrier
Western burrowing owl	FS	Prairie dog colonies with vacant burrows; grasslands,
Athene cunicularia Western yellow-billed	BLM and FS	shrublands, deserts Riparian; gallery cottonwoods with dense understory
cuckoo	PENI GITO I S	Mparian, gailery contonwoods with defise understory
Coccyzus americanus		
White-faced ibis	BLM	Spring/fall migrant only; wet meadows, marsh
Plegadis chihi		edges, and reservoir shorelines
White-tailed ptarmigan	FS	Alpine tundra, especially with rock fields and willow
Lagopus leucurus		carrs

Sensitive Species	Agency	Habitat Association
INSECTS		
Nokomis fritillary butterfly	FS	Riparian; mostly tied to springs
Speyeria Nokomis		
nokomis		
FISH		
Bluehead sucker	BLM and FS	Tributaries of the Colorado and San Juan rivers
Catostomus disobolus		
Colorado River cutthroat	BLM and FS	Freshwater streams
trout		
Oncorhynchus clarkii pleuriticus		
Flannelmouth sucker	BLM and FS	Tributaries of the Colorado and San Juan rivers
Catostomus latipinnis	DEWI AND 13	Tributaries of the colorado and San Suan rivers
Roundtail chub	BLM and FS	Tributaries of the Colorado and San Juan rivers
Gila robusta)	DEWI AND 13	Tributaries of the colorado and San Suan rivers
MAMMALS		
Allen's big-eared bat	BLM	Woodlands, mines, and caves
Idionycteris phyllotis	BEW	woodianas, mines, and caves
American marten	FS	Subalpine spruce-fir forests, alpine tundra, montane
Martes Americana		forests
Big free-tailed bat	BLM	Rocky and canyon country
Nyctinomops macrotis		
Fringed myotis	BLM and FS	Pinyon-juniper and other coniferous woodlands
Myotis thysanodes		
pahasapensis		
Gunnison's prairie dog	FS	Grasslands and semidesert and montane shrublands
Cynomys gunnisoni		
North American wolverine	FS	Rare; boreal spruce-fir forest and tundra
Gulo gulo		
River otter	FS	Stream and river riparian
Lontra Canadensis		
Rocky Mountain bighorn	FS	
sheep		
Ovis canadensis		
canadensis	BLM and FS	Diaman innings should describ a society via suice
Spotted bat Euderma maculatum	BLM and FS	Pinyon-juniper, shrub desert, possibly riparian
Townsend's big-eared bat	BLM and FS	Abandoned mines and caves
Corynorhinus townsendii	BLIVI AND FS	Abandoned mines and caves
Yuma myotis	BLM	Pinyon-juniper, semi-desert and tied to riparian
Myotis yumanensis	BEIVI	Triffyori-Juniper, semi-desert and fled to riparian
REPTILES		
Desert spiny lizard	BLM	Shrub-covered dirt banks and sparsely vegetated
Sceloporus magister		rocky areas near flowing streams
Longnose leopard lizard	BLM	Shrublands with open ground
Gambelia wislizenii		
AMPHIBIANS		
Boreal toad	FS	Damp conditions; marshes, wet meadows, streams,
Bufo boreas boreas		ponds, lakes
Northern leopard frog	FS	Water's edge; wet meadows, banks of marshes and
Rana pipiens		ponds
PLANTS		
Astragulus naturitensis	BLM	Pinyon-juniper woodlands
Carex viridula	BLM	Riparian areas and wetlands
Cryptogramma stelleri	BLM	Riparian areas and wetlands
<i>Ipomopsis polyantha</i> var.	BLM and FS (L)	Mountain grasslands and mountain shrublands
polyantha		
Erigeron kachinensis	BLM	Riparian/wetland
Lesquerella pruinosa	BLM and FS	Mountain grasslands and mountain shrublands
Mimulus eastwoodiae	BLM	Riparian/wetland
Pediomelum aromaticum	BLM	Semi-desert shrublands and sagebrush shrublands
Eriophorum gracile	BLM (L) and FS (L)	Riparian/wetland
Salix serissima	FS (L)	Riparian/wetland

Sensitive Species	Agency	Habitat Association
Astragalus missouriensis	FS	Pinyon-juniper woodlands, ponderosa pine forests
var. humistratus		
Astragalus proximus	FS	Ponderosa pine, pinyon-juniper, mountain shrubland
Calochortus flexuosus	FS (L)	Pinyon-juniper, semi-desert shrubland
Carex diandra	FS	Riparian/wetland
Cypripedium parviflorum	FS	Aspen, ponderosa pine
Draba smithii	FS	Mixed conifer, wetland
Drosera anglica	FS	Riparian/wetland
Epipactis gigantean	FS	Riparian/wetland
Eriophorum altaicum var.	FS	Riparian/wetland
neogaeum		
Eriophorum chamissonis	FS	Riparian/wetland
Gilia sedifolia	FS (L)	Alpine
Machaeranthera coloradoensis	FS	Alpine, spruce-fir
Parnassia kotzebuei	FS	Alpine
Physaria pulvinata	FS	Pinyon-juniper, semi-desert shrubland, sagebrush
Salix arizonica	FS (L)	Riparian/wetland
Salix candida	FS	Riparian/wetland
Sphagnum angustifolium	FS	Riparian/wetland
Triteleia grandiflora	FS	Ponderosa pine
Utricularia minor	FS	Riparian/wetland

L-No known occurrences, but likely to occur due to potential habitat.