

Appendix 3. Reservoir data compiled from data provided by the Colorado Division of Wildlife and the Bureau of Reclamation.

Month	Day	Year	Res. Elev. (ft)	Depth Below Surface of Water (m)	Distance Below Max Res. Elev. (m)	Temp. ©	Dissolv Oxygen (mg/l)	No. Fish Gill Netted/Sonar detect	Fish Species	Spec. Cond.	pH
8	24	1984	6786	0	42.06	21.5	8.0				
8	24	1984	6786	1	42.06	21.5					
8	24	1984	6786	2	42.06	21.0					
8	24	1984	6786	3	42.06	21.0					
8	24	1984	6786	4	42.06	20.5					
8	24	1984	6786	5	42.06	19.5					
8	24	1984	6786	6	42.06	18.5					
8	24	1984	6786	7	42.06	17.0	6.0				
8	24	1984	6786	8	42.06	16.0					
8	24	1984	6786	9	42.06	15.0					
8	24	1984	6786	10	42.06	14.5					
8	24	1984	6786	11	42.06	14.0					
8	24	1984	6786	12	42.06	14.0					
8	24	1984	6786	13	42.06	14.0					
8	24	1984	6786	14	42.06	13.5					
8	24	1984	6786	15	42.06	13.0					
8	24	1984	6786	16	42.06	13.0					
8	24	1984	6786	17	42.06	13.0	6.0				
8	24	1984	6786	18	42.06	12.5					
8	24	1984	6786	19	42.06	12.5					
8	24	1984	6786	20	42.06	12.0					
8	24	1984	6786	21	42.06	12.0					
8	24	1984	6786	22	42.06	12.0					
8	24	1984	6786	23	42.06	12.0					
8	24	1984	6786	24	42.06	12.0					
8	24	1984	6786	25	42.06	12.0					
8	24	1984	6786	26	42.06	12.0					
8	24	1984	6786	27	42.06	12.0					
8	24	1984	6786	28	42.06	12.0					
8	24	1984	6786	29	42.06	12.0					
11	15	1984	6786	0	44.81	9.0					
11	15	1984	6786	1	44.81	8.5					
11	15	1984	6786	2	44.81	8.5					
11	15	1984	6786	3	44.81	8.0					
11	15	1984	6786	4	44.81	8.0					
11	15	1984	6786	5	44.81	8.0					
11	15	1984	6786	6	44.81	8.0					
11	15	1984	6786	7	44.81	8.0					
11	15	1984	6786	8	44.81	8.0					
11	15	1984	6786	9	44.81	8.0					
11	15	1984	6786	10	44.81	8.0					
11	15	1984	6786	11	44.81	8.0					
11	15	1984	6786	12	44.81	8.0					

11	15	1984	6786	13	44.81	8.0				
11	15	1984	6786	14	44.81	8.0				
11	15	1984	6786	15	44.81	8.0				
11	15	1984	6786	16	44.81	8.0				
11	15	1984	6786	17	44.81	8.0				
11	15	1984	6786	18	44.81	8.0				
11	15	1984	6786	19	44.81	8.0				
11	15	1984	6786	20	44.81	8.0				
11	15	1984	6786	21	44.81	8.0				
11	15	1984	6786	22	44.81	8.0				
11	15	1984	6786	23	44.81	8.0				
11	15	1984	6786	24	44.81	8.0				
11	15	1984	6786	25	44.81	8.0				
11	15	1984	6786	26	44.81	8.0				
11	15	1984	6786	27	44.81	8.0				
11	15	1984	6786	28	44.81	8.0				
11	15	1984	6786	29	44.81	8.0				
11	15	1984	6786	30	44.81	8.0				
5	12	1985	6843	0	24.69	10.0	8.7			
5	12	1985	6843	1	24.69	10.0	8.7			
5	12	1985	6843	2	24.69	10.0	8.8			
5	12	1985	6843	3	24.69	9.5	8.7			
5	12	1985	6843	4	24.69	9.5	8.7			
5	12	1985	6843	5	24.69	9.0	8.6			
5	12	1985	6843	6	24.69	9.0	8.6			
5	12	1985	6843	7	24.69	9.0	8.6			
5	12	1985	6843	8	24.69	9.0	8.6			
5	12	1985	6843	9	24.69	9.0	8.6			
5	12	1985	6843	10	24.69	9.0	8.6			
5	12	1985	6843	11	24.69	9.0	8.5			
5	12	1985	6843	12	24.69	9.0	8.5			
5	12	1985	6843	13	24.69	8.5	8.5			
5	12	1985	6843	14	24.69	8.0	8.5			
5	12	1985	6843	15	24.69	7.5	8.5			
5	12	1985	6843	20	24.69	7.0	8.5			
5	12	1985	6843	25	24.69	7.0	8.5			
5	12	1985	6843	30	24.69	7.0	8.5			
5	12	1985	6843	35	24.69	7.0	8.5			
5	12	1985	6843	40	24.69	6.5	8.5			
5	12	1985	6843	45	24.69	6.5	8.5			
7	5	1985	6856	0	20.85	18.0				
7	5	1985	6856	0.0	20.85	18.78				
7	5	1985	6856	1	20.85	18.0				
7	5	1985	6856	2	20.85	17.0				
7	5	1985	6856	3	20.85	16.5				
7	5	1985	6856	4	20.85	16.5				
7	5	1985	6856	5	20.85	16.0				
7	5	1985	6856	6	20.85	16.0				
7	5	1985	6856	7	20.85	16.0				
7	5	1985	6856	8	20.85	15.5				
7	5	1985	6856	9	20.85	14.0				

7	5	1985	6856	10	20.85	13.5				
7	5	1985	6856	11	20.85	13.0				
7	5	1985	6856	12	20.85	12.5				
7	5	1985	6856	13	20.85	12.0				
7	5	1985	6856	14	20.85	12.0				
7	5	1985	6856	15	20.85	11.5				
7	5	1985	6856	16	20.85	11.5				
7	5	1985	6856	17	20.85	11.5				
7	5	1985	6856	18	20.85	11.0				
7	5	1985	6856	19	20.85	11.0				
7	5	1985	6856	20	20.85	11.0				
7	5	1985	6856	21	20.85	11.0				
7	5	1985	6856	21.3	20.85	10.78				
7	5	1985	6856	22	20.85	10.5				
7	5	1985	6856	23	20.85	10.5				
7	5	1985	6856	24	20.85	10.0				
7	5	1985	6856	25	20.85	10.0				
7	5	1985	6856	26	20.85	10.0				
7	5	1985	6856	27	20.85	10.0				
7	5	1985	6856	28	20.85	10.0				
7	5	1985	6856	29	20.85	10.0				
7	5	1985	6856	42.7	20.85	9.22				
7	26	1985	6854	0.0	21.23	20.00				
7	26	1985	6854	21.3	21.23	11.39				
7	26	1985	6854	42.7	21.23	9.50				
7	26	1985	6854	45.7	21.23	10.00				
8	23	1985	6853	0.0	21.72	20.00				
8	23	1985	6853	19.8	21.72	11.50				
8	23	1985	6853	39.6	21.72	10.00				
6	13	1986	6853	0.0	7.22	14.50				
6	13	1986	6853	15.2	7.22	9.89				
6	13	1986	6853	29.0	7.22	8.89				
6	20	1986	6900	0	7.32	18.5	7.6			
6	20	1986	6900	1	7.32	17.5	7.7			
6	20	1986	6900	2	7.32	17.0	7.8			
6	20	1986	6900	3	7.32	17.0	7.8			
6	20	1986	6900	4	7.32	17.0	7.8			
6	20	1986	6900	5	7.32	17.0	7.6			
6	20	1986	6900	6	7.32	14.5	7.0			
6	20	1986	6900	7	7.32	13.0	7.4			
6	20	1986	6900	8	7.32	13.0	7.3			
6	20	1986	6900	9	7.32	12.0	7.3			
6	20	1986	6900	10	7.32	12.0	7.4			
6	20	1986	6900	11	7.32	12.0	7.4			
6	20	1986	6900	12	7.32	11.0	7.5			
6	20	1986	6900	13	7.32	11.0	7.5			
6	20	1986	6900	14	7.32	10.5	7.5			
6	20	1986	6900	15	7.32	10.5	7.5			
6	20	1986	6900	16	7.32	10.0	7.5			
6	20	1986	6900	17	7.32	10.0	7.6			
6	20	1986	6900	18	7.32	9.5	7.7			

6	20	1986	6900	19	7.32	9.5	7.8				
6	20	1986	6900	20	7.32	9.0	7.8				
6	20	1986	6900	21	7.32	9.0	7.9				
6	20	1986	6900	22	7.32	9.0	7.9				
6	20	1986	6900	23	7.32	9.0	7.8				
6	20	1986	6900	24	7.32	9.0	7.8				
6	20	1986	6900	25	7.32	9.0	7.7				
6	20	1986	6900	26	7.32	9.0	7.6				
6	20	1986	6900	27	7.32	9.0	7.7				
6	20	1986	6900	28	7.32	9.0	7.7				
6	20	1986	6900	29	7.32	9.0	7.8				
6	20	1986	6900	30	7.32	9.0	7.8				
6	20	1986	6900	31	7.32	8.5	7.7				
6	20	1986	6900	32	7.32	8.5	7.7				
6	20	1986	6900	33	7.32	8.5	7.7				
6	20	1986	6900	34	7.32	8.5	7.7				
6	20	1986	6900	35	7.32	8.5	7.7				
6	20	1986	6900	36	7.32	8.5	7.7				
6	20	1986	6900	37	7.32	8.5	7.8				
6	20	1986	6900	38	7.32	8.5	7.8				
6	20	1986	6900	39	7.32	8.5	7.8				
6	20	1986	6900	40	7.32	8.0	7.7				
6	20	1986	6900	41	7.32	8.0	7.7				
6	20	1986	6900	42	7.32	8.0	7.8				
6	20	1986	6900	43	7.32	8.0	7.8				
6	20	1986	6900	44	7.32	8.0	7.7				
6	20	1986	6900	45	7.32	8.0	7.7				
7	11	1986	6903	0.0	6.51	19.78					
7	11	1986	6903	3.0	6.51	19.00					
7	11	1986	6903	6.1	6.51	17.89					
7	11	1986	6903	9.1	6.51	14.78					
7	11	1986	6903	12.2	6.51	12.00					
7	11	1986	6903	16.8	6.51	9.33					
7	11	1986	6903	21.3	6.51	9.28					
7	11	1986	6903	25.9	6.51	9.00					
7	11	1986	6903	30.5	6.51	8.89					
7	11	1986	6903	35.1	6.51	9.00					
7	11	1986	6903	41.1	6.51	9.50					
7	25	1986	6903	0	6.40	19.5	6.2				
7	25	1986	6903	1	6.40	19.5	6.3				
7	25	1986	6903	2	6.40	19.5	6.4				
7	25	1986	6903	3	6.40	19.0	6.4				
7	25	1986	6903	4	6.40	19.0	6.4				
7	25	1986	6903	5	6.40	19.0	6.4				
7	25	1986	6903	6	6.40	19.0	6.4				
7	25	1986	6903	7	6.40	19.0	6.4				
7	25	1986	6903	8	6.40	16.0	4.5				
7	25	1986	6903	9	6.40	16.0	4.4				
7	25	1986	6903	10	6.40	15.5	4.4				
7	25	1986	6903	11	6.40	15.0	4.3				
7	25	1986	6903	12	6.40	14.5	4.3				

7	25	1986	6903	13	6.40	13.5	5.0				
7	25	1986	6903	14	6.40	13.0	5.0				
7	25	1986	6903	15	6.40	12.0	5.2				
7	25	1986	6903	16	6.40	11.5	5.4				
7	25	1986	6903	17	6.40	11.0	5.5				
7	25	1986	6903	18	6.40	11.0	5.6				
7	25	1986	6903	19	6.40	10.5	5.7				
7	25	1986	6903	20	6.40	10.5	5.8				
7	25	1986	6903	21	6.40	10.0	6.0				
7	25	1986	6903	22	6.40	9.0	6.1				
7	25	1986	6903	23	6.40	9.0	6.3				
7	25	1986	6903	24	6.40	9.5	6.3				
7	25	1986	6903	25	6.40	9.5	6.3				
7	25	1986	6903	26	6.40	9.5	6.3				
7	25	1986	6903	27	6.40	9.5	6.3				
7	25	1986	6903	28	6.40	9.0	6.5				
7	25	1986	6903	29	6.40	9.0	6.5				
7	25	1986	6903	30	6.40	9.0	6.4				
7	25	1986	6903	31	6.40	9.0	6.5				
7	25	1986	6903	32	6.40	9.0	6.5				
7	25	1986	6903	33	6.40	9.0	6.6				
7	25	1986	6903	34	6.40	9.0	6.6				
7	25	1986	6903	35	6.40	9.0	6.6				
7	25	1986	6903	36	6.40	9.0	6.6				
7	25	1986	6903	37	6.40	9.0	6.6				
7	25	1986	6903	38	6.40	9.0	6.6				
7	25	1986	6903	39	6.40	9.0	6.5				
7	25	1986	6903	40	6.40	9.0	6.5				
7	25	1986	6903	41	6.40	9.0	6.5				
7	25	1986	6903	42	6.40	8.5	6.5				
7	25	1986	6903	43	6.40	8.5	6.5				
8	8	1986	6902	0.0	6.80	19.22					
8	8	1986	6902	7.6	6.80	19.11					
8	8	1986	6902	10.7	6.80	15.00					
8	8	1986	6902	13.7	6.80	12.22					
8	8	1986	6902	16.8	6.80	10.89					
8	8	1986	6902	19.8	6.80	9.89					
8	8	1986	6902	22.9	6.80	9.28					
8	8	1986	6902	25.9	6.80	9.11					
8	8	1986	6902	29.0	6.80	9.11					
8	8	1986	6902	32.0	6.80	9.00					
8	8	1986	6902	35.1	6.80	9.00					
8	12	1986	6901	0	7.01	20.5	6.9				
8	12	1986	6901	1	7.01	20.0	6.9				
8	12	1986	6901	2	7.01	20.0	7.0				
8	12	1986	6901	3	7.01	20.0	7.0				
8	12	1986	6901	4	7.01	20.0	7.0				
8	12	1986	6901	5	7.01	20.0	7.0				
8	12	1986	6901	6	7.01	20.0	7.0				
8	12	1986	6901	7	7.01	19.5	7.0				
8	12	1986	6901	8	7.01	18.0	6.5				

8	12	1986	6901	9	7.01	17.0	4.7				
8	12	1986	6901	10	7.01	16.5	4.5				
8	12	1986	6901	11	7.01	16.0	4.2				
8	12	1986	6901	12	7.01	15.0	4.2				
8	12	1986	6901	13	7.01	13.5	4.2				
8	12	1986	6901	14	7.01	13.5	4.5				
8	12	1986	6901	15	7.01	13.0	4.5				
8	12	1986	6901	16	7.01	12.0	4.9				
8	12	1986	6901	17	7.01	11.5	5.1				
8	12	1986	6901	18	7.01	11.0	5.4				
8	12	1986	6901	19	7.01	11.0	5.7				
8	12	1986	6901	20	7.01	10.5	6.1				
8	12	1986	6901	21	7.01	10.5	6.2				
8	12	1986	6901	22	7.01	10.0	6.2				
8	12	1986	6901	23	7.01	10.0	6.4				
8	12	1986	6901	24	7.01	10.0	6.6				
8	12	1986	6901	25	7.01	10.0	6.5				
8	12	1986	6901	26	7.01	9.5	6.7				
8	12	1986	6901	27	7.01	9.0	6.7				
8	12	1986	6901	28	7.01	9.0	6.8				
8	12	1986	6901	29	7.01	9.0	6.9				
8	12	1986	6901	30	7.01	9.0	6.9				
8	12	1986	6901	31	7.01	9.0	7.0				
8	12	1986	6901	32	7.01	9.0	6.9				
8	12	1986	6901	33	7.01	9.0	7.0				
8	12	1986	6901	34	7.01	9.0	7.0				
8	12	1986	6901	35	7.01	9.0	4.5				
8	12	1986	6901	36	7.01	9.0	5.4				
8	12	1986	6901	37	7.01	9.0	6.5				
8	12	1986	6901	38	7.01	9.0	6.8				
8	12	1986	6901	39	7.01	9.0	6.9				
8	12	1986	6901	40	7.01	9.0	6.9				
8	12	1986	6901	41	7.01	8.5	6.9				
8	12	1986	6901	42	7.01	8.5	6.8				
8	12	1986	6901	43	7.01	8.5	6.9				
8	12	1986	6901	44	7.01	8.5	6.8				
9	15	1986	6900	0.0	7.46	17.00					
9	15	1986	6900	3.0	7.46	15.89					
9	15	1986	6900	6.1	7.46	15.78					
9	15	1986	6900	9.1	7.46	15.50					
9	15	1986	6900	12.2	7.46	15.00					
9	15	1986	6900	15.2	7.46	11.00					
9	15	1986	6900	18.3	7.46	10.22					
9	15	1986	6900	21.3	7.46	9.78					
9	15	1986	6900	24.4	7.46	9.11					
9	15	1986	6900	27.4	7.46	9.00					
9	15	1986	6900	30.5	7.46	9.00					
9	15	1986	6900	33.5	7.46	8.78					
9	15	1986	6900	36.6	7.46	8.50					
9	15	1986	6900	39.6	7.46	8.50					
9	15	1986	6900	42.7	7.46	8.50					

9	30	1986	6900	0	7.32	14.0	6.9				
9	30	1986	6900	1	7.32	14.0	6.5				
9	30	1986	6900	2	7.32	14.0	6.4				
9	30	1986	6900	3	7.32	14.0	6.4				
9	30	1986	6900	4	7.32	14.0	6.4				
9	30	1986	6900	5	7.32	14.0	6.3				
9	30	1986	6900	6	7.32	14.0	6.3				
9	30	1986	6900	7	7.32	14.0	6.3				
9	30	1986	6900	8	7.32	14.0	6.3				
9	30	1986	6900	9	7.32	14.0	6.3				
9	30	1986	6900	10	7.32	14.0	6.3				
9	30	1986	6900	11	7.32	13.5	6.2				
9	30	1986	6900	12	7.32	13.0	6.1				
9	30	1986	6900	13	7.32	12.5	5.8				
9	30	1986	6900	14	7.32	12.5	5.5				
9	30	1986	6900	15	7.32	12.0	4.9				
9	30	1986	6900	16	7.32	12.0	4.2				
9	30	1986	6900	17	7.32	11.5	4.1				
9	30	1986	6900	18	7.32	11.0	4.1				
9	30	1986	6900	19	7.32	11.0	4.0				
9	30	1986	6900	20	7.32	11.0	4.0				
9	30	1986	6900	21	7.32	11.0	4.0				
9	30	1986	6900	22	7.32	10.5	3.8				
9	30	1986	6900	23	7.32	10.0	3.8				
9	30	1986	6900	24	7.32	10.0	3.8				
9	30	1986	6900	25	7.32	10.0	3.8				
9	30	1986	6900	26	7.32	10.0	3.7				
9	30	1986	6900	27	7.32	9.0	4.7				
9	30	1986	6900	28	7.32	9.0	4.9				
9	30	1986	6900	29	7.32	9.0	4.9				
9	30	1986	6900	30	7.32	9.0	4.9				
9	30	1986	6900	31	7.32	9.0	4.9				
9	30	1986	6900	32	7.32	9.0	4.9				
9	30	1986	6900	33	7.32	9.0	4.9				
9	30	1986	6900	34	7.32	9.0	4.9				
9	30	1986	6900	35	7.32	9.0	4.9				
9	30	1986	6900	36	7.32	9.0	4.9				
9	30	1986	6900	37	7.32	9.0	5.1				
9	30	1986	6900	38	7.32	9.0	5.1				
9	30	1986	6900	39	7.32	9.0	5.2				
9	30	1986	6900	40	7.32	9.0	5.3				
9	30	1986	6900	41	7.32	9.0	5.3				
9	30	1986	6900	42	7.32	9.0	5.3				
9	30	1986	6900	43	7.32	9.0	5.3				
9	30	1986	6900	44	7.32	9.0	5.3				
9	30	1986	6900	45	7.32	9.0	5.3				
10	29	1986	6902	0	6.71	10.5	6.8				
10	29	1986	6902	1	6.71	10.0	6.7				
10	29	1986	6902	2	6.71	10.0	6.6				
10	29	1986	6902	3	6.71	10.0	6.5				
10	29	1986	6902	4	6.71	10.0	6.5				

10	29	1986	6902	5	6.71	10.0	6.5				
10	29	1986	6902	6	6.71	10.0	6.5				
10	29	1986	6902	7	6.71	10.0	6.5				
10	29	1986	6902	8	6.71	10.0	6.5				
10	29	1986	6902	9	6.71	10.0	6.5				
10	29	1986	6902	10	6.71	10.0	6.5				
10	29	1986	6902	11	6.71	10.0	6.4				
10	29	1986	6902	12	6.71	10.0	6.4				
10	29	1986	6902	13	6.71	10.0	6.4				
10	29	1986	6902	14	6.71	10.0	6.5				
10	29	1986	6902	15	6.71	10.0	6.5				
10	29	1986	6902	16	6.71	10.0	6.5				
10	29	1986	6902	17	6.71	10.0	6.5				
10	29	1986	6902	18	6.71	10.0	6.5				
10	29	1986	6902	19	6.71	10.0	6.4				
10	29	1986	6902	20	6.71	10.0	6.3				
10	29	1986	6902	21	6.71	10.0	6.4				
10	29	1986	6902	22	6.71	10.0	6.3				
10	29	1986	6902	23	6.71	10.0	6.3				
10	29	1986	6902	24	6.71	10.0	6.2				
10	29	1986	6902	25	6.71	10.0	6.1				
10	29	1986	6902	26	6.71	10.0	6.0				
10	29	1986	6902	27	6.71	9.5	4.7				
10	29	1986	6902	28	6.71	9.5	4.4				
10	29	1986	6902	29	6.71	9.0	4.1				
10	29	1986	6902	30	6.71	9.0	4.0				
10	29	1986	6902	31	6.71	9.0	4.0				
10	29	1986	6902	32	6.71	9.0	3.9				
10	29	1986	6902	33	6.71	9.0	3.9				
10	29	1986	6902	34	6.71	9.0	3.8				
10	29	1986	6902	35	6.71	9.0	3.8				
10	29	1986	6902	36	6.71	9.0	3.7				
10	29	1986	6902	37	6.71	9.0	3.8				
10	29	1986	6902	38	6.71	9.0	3.8				
10	29	1986	6902	39	6.71	9.0	3.9				
10	29	1986	6902	40	6.71	9.0	3.9				
10	29	1986	6902	41	6.71	9.0	4.1				
10	29	1986	6902	42	6.71	9.0	4.0				
10	29	1986	6902	43	6.71	9.0	4.0				
4	29	1987	6911	0	3.96	9.5	9.8				
4	29	1987	6911	1	3.96	9.0	9.8				
4	29	1987	6911	2	3.96	8.5	9.8				
4	29	1987	6911	3	3.96	8.5	9.8				
4	29	1987	6911	4	3.96	8.0	9.8				
4	29	1987	6911	5	3.96	7.5	9.8				
4	29	1987	6911	6	3.96	7.5	9.8				
4	29	1987	6911	7	3.96	7.0	9.8				
4	29	1987	6911	8	3.96	6.5	9.8				
4	29	1987	6911	9	3.96	6.5	9.8				
4	29	1987	6911	10	3.96	6.0	9.8				
4	29	1987	6911	11	3.96	6.0	9.7				



4	29	1987	6911	12	3.96	6.0	9.7				
4	29	1987	6911	13	3.96	5.5	9.7				
4	29	1987	6911	14	3.96	5.5	9.7				
4	29	1987	6911	15	3.96	5.5	9.8				
4	29	1987	6911	16	3.96	5.0	9.8				
4	29	1987	6911	17	3.96	5.0	9.8				
4	29	1987	6911	18	3.96	5.0	9.8				
4	29	1987	6911	19	3.96	5.0	9.8				
4	29	1987	6911	20	3.96	5.0	9.9				
4	29	1987	6911	25	3.96	5.0	9.8				
4	29	1987	6911	30	3.96	4.5	9.8				
4	29	1987	6911	35	3.96	4.5	9.8				
4	29	1987	6911	40	3.96	4.5	9.8				
4	29	1987	6911	45	3.96	4.0	9.8				
5	18	1987	6917	0	2.13	12.0	8.3				
5	18	1987	6917	1	2.13	12.0	8.3				
5	18	1987	6917	2	2.13	12.0	8.4				
5	18	1987	6917	3	2.13	12.0	8.4				
5	18	1987	6917	4	2.13	12.0	8.4				
5	18	1987	6917	5	2.13	12.0	8.4				
5	18	1987	6917	6	2.13	12.0	8.4				
5	18	1987	6917	7	2.13	12.0	8.4				
5	18	1987	6917	8	2.13	11.8	8.4				
5	18	1987	6917	9	2.13	11.0	8.4				
5	18	1987	6917	10	2.13	9.5	8.6				
5	18	1987	6917	11	2.13	9.0	8.6				
5	18	1987	6917	12	2.13	9.2	8.4				
5	18	1987	6917	13	2.13	9.0	8.4				
5	18	1987	6917	14	2.13	8.5	8.4				
5	18	1987	6917	15	2.13	7.5	8.4				
5	18	1987	6917	16	2.13	7.5	8.4				
5	18	1987	6917	17	2.13	7.5	8.4				
5	18	1987	6917	18	2.13	7.5	8.2				
5	18	1987	6917	19	2.13	7.5	8.2				
5	18	1987	6917	20	2.13	7.0	8.4				
5	18	1987	6917	21	2.13	7.0	8.4				
5	18	1987	6917	22	2.13	6.5	8.6				
5	18	1987	6917	23	2.13	6.5	8.6				
5	18	1987	6917	24	2.13	6.5	8.6				
5	18	1987	6917	25	2.13	6.5	8.6				
5	18	1987	6917	26	2.13	6.0	8.6				
5	18	1987	6917	27	2.13	6.0	8.6				
5	18	1987	6917	28	2.13	6.0	8.6				
5	18	1987	6917	29	2.13	6.0	8.6				
5	18	1987	6917	30	2.13	6.0	8.6				
5	18	1987	6917	31	2.13	6.0	8.6				
5	18	1987	6917	32	2.13	6.0	8.6				
5	18	1987	6917	33	2.13	6.0	8.6				
5	18	1987	6917	34	2.13	6.0	8.0				
5	18	1987	6917	35	2.13	6.0	8.0				
5	18	1987	6917	36	2.13	6.0	8.5				

5	18	1987	6917	37	2.13	6.0	8.5			
5	18	1987	6917	38	2.13	6.0	8.5			
5	18	1987	6917	39	2.13	6.0	8.5			
5	18	1987	6917	40	2.13	6.0	8.5			
5	18	1987	6917	41	2.13	6.0	8.5			
5	18	1987	6917	42	2.13	5.5	8.6			
5	18	1987	6917	43	2.13	5.5	8.6			
5	18	1987	6917	44	2.13	5.5	8.6			
6	23	1987	6923	0	0.30	16.0	7.0			
6	23	1987	6923	1	0.30	16.0	7.0			
6	23	1987	6923	2	0.30	16.0	7.0			
6	23	1987	6923	3	0.30	16.0	7.0			
6	23	1987	6923	4	0.30	16.0	7.1			
6	23	1987	6923	5	0.30	16.0	7.0			
6	23	1987	6923	6	0.30	16.0	7.0			
6	23	1987	6923	7	0.30	16.0	7.0			
6	23	1987	6923	8	0.30	16.0	7.0			
6	23	1987	6923	9	0.30	15.0	6.9			
6	23	1987	6923	10	0.30	13.0	7.0			
6	23	1987	6923	11	0.30	11.5	6.9			
6	23	1987	6923	12	0.30	11.5	7.0			
6	23	1987	6923	13	0.30	11.0	6.9			
6	23	1987	6923	14	0.30	11.0	7.0			
6	23	1987	6923	15	0.30	10.5	6.9			
6	23	1987	6923	16	0.30	10.5	7.0			
6	23	1987	6923	17	0.30	10.5	7.0			
6	23	1987	6923	18	0.30	10.0	7.1			
6	23	1987	6923	19	0.30	10.0	7.1			
6	23	1987	6923	20	0.30	10.0	7.1			
6	23	1987	6923	21	0.30	9.5	7.1			
6	23	1987	6923	22	0.30	9.0	7.2			
6	23	1987	6923	23	0.30	9.0	7.2			
6	23	1987	6923	24	0.30	9.0	7.4			
6	23	1987	6923	25	0.30	8.0	7.3			
6	23	1987	6923	26	0.30	8.0	7.5			
6	23	1987	6923	27	0.30	8.5	7.5			
6	23	1987	6923	28	0.30	8.0	7.6			
6	23	1987	6923	29	0.30	8.0	7.6			
6	23	1987	6923	30	0.30	8.0	7.6			
6	23	1987	6923	31	0.30	7.5	7.6			
6	23	1987	6923	32	0.30	7.5	7.6			
6	23	1987	6923	33	0.30	7.5	7.6			
6	23	1987	6923	34	0.30	7.5	7.6			
6	23	1987	6923	35	0.30	7.0	7.6			
6	23	1987	6923	36	0.30	7.0	7.7			
6	23	1987	6923	37	0.30	7.0	7.6			
6	23	1987	6923	38	0.30	7.0	7.6			
6	23	1987	6923	39	0.30	7.0	7.6			
6	23	1987	6923	40	0.30	7.0	7.7			
6	23	1987	6923	41	0.30	7.0	7.7			
6	23	1987	6923	42	0.30	7.0	7.8			

6	23	1987	6923	43	0.30	7.0	7.7				
6	23	1987	6923	44	0.30	7.0	7.7				
6	23	1987	6923	45	0.30	7.0	7.7				
7	2	1987	6918	0.0	1.80	18.28					
7	2	1987	6918	3.0	1.80	17.22					
7	2	1987	6918	6.1	1.80	15.39					
7	2	1987	6918	9.1	1.80	12.72					
7	2	1987	6918	12.2	1.80	11.50					
7	2	1987	6918	15.2	1.80	10.50					
7	2	1987	6918	18.3	1.80	9.89					
7	2	1987	6918	21.3	1.80	9.39					
7	2	1987	6918	24.4	1.80	9.00					
7	2	1987	6918	27.4	1.80	8.28					
7	2	1987	6918	30.5	1.80	8.11					
7	2	1987	6918	33.5	1.80	8.00					
7	2	1987	6918	36.6	1.80	7.89					
7	2	1987	6918	39.6	1.80	7.28					
7	27	1987	6922	0	0.61	21.0	6.3				
7	27	1987	6922	1	0.61	21.0	6.3				
7	27	1987	6922	2	0.61	21.0	6.3				
7	27	1987	6922	3	0.61	20.5	6.3				
7	27	1987	6922	4	0.61	20.5	6.3				
7	27	1987	6922	5	0.61	20.5	6.4				
7	27	1987	6922	6	0.61	18.0	5.8				
7	27	1987	6922	7	0.61	18.0	6.7				
7	27	1987	6922	8	0.61	17.0	6.6				
7	27	1987	6922	9	0.61	16.5	6.4				
7	27	1987	6922	10	0.61	16.5	5.1				
7	27	1987	6922	11	0.61	16.0	5.2				
7	27	1987	6922	12	0.61	15.0	5.2				
7	27	1987	6922	13	0.61	14.0	5.0				
7	27	1987	6922	14	0.61	12.5	5.0				
7	27	1987	6922	15	0.61	12.0	5.2				
7	27	1987	6922	16	0.61	11.5	5.2				
7	27	1987	6922	17	0.61	11.0	5.5				
7	27	1987	6922	18	0.61	11.0	5.5				
7	27	1987	6922	19	0.61	10.5	5.7				
7	27	1987	6922	20	0.61	10.0	5.7				
7	27	1987	6922	21	0.61	10.0	5.8				
7	27	1987	6922	22	0.61	10.0	5.8				
7	27	1987	6922	23	0.61	9.5	6.0				
7	27	1987	6922	24	0.61	9.0	6.0				
7	27	1987	6922	25	0.61	9.0	6.1				
7	27	1987	6922	26	0.61	9.0	6.3				
7	27	1987	6922	27	0.61	9.0	6.2				
7	27	1987	6922	28	0.61	9.0	6.3				
7	27	1987	6922	29	0.61	9.0	6.3				
7	27	1987	6922	30	0.61	8.5	6.3				
7	27	1987	6922	31	0.61	8.5	6.3				
7	27	1987	6922	32	0.61	8.5	6.3				
7	27	1987	6922	33	0.61	8.5	6.3				

7	27	1987	6922	34	0.61	8.5	6.3				
7	27	1987	6922	35	0.61	8.0	6.6				
7	27	1987	6922	36	0.61	8.0	6.6				
7	27	1987	6922	37	0.61	8.0	6.6				
7	27	1987	6922	38	0.61	8.0	6.6				
7	27	1987	6922	39	0.61	8.0	6.6				
7	27	1987	6922	40	0.61	8.0	6.8				
7	27	1987	6922	41	0.61	8.0	6.8				
7	27	1987	6922	42	0.61	8.0	6.8				
7	27	1987	6922	43	0.61	8.0	6.8				
7	27	1987	6922	44	0.61	7.5	6.8				
8	13	1987	6919	0.0	1.46	20.00					
8	13	1987	6919	3.0	1.46	19.61					
8	13	1987	6919	6.1	1.46	19.50					
8	13	1987	6919	9.1	1.46	19.00					
8	13	1987	6919	12.2	1.46	15.89					
8	13	1987	6919	15.2	1.46	12.78					
8	13	1987	6919	18.3	1.46	10.78					
8	13	1987	6919	21.3	1.46	10.00					
8	13	1987	6919	24.4	1.46	9.22					
8	13	1987	6919	27.4	1.46	8.72					
8	13	1987	6919	30.5	1.46	8.22					
8	13	1987	6919	33.5	1.46	7.00					
8	26	1987	6918	0	1.83	19.0	5.8				
8	26	1987	6918	1	1.83	19.0	5.6				
8	26	1987	6918	2	1.83	18.5	5.8				
8	26	1987	6918	3	1.83	18.5	5.8				
8	26	1987	6918	4	1.83	18.5	5.6				
8	26	1987	6918	5	1.83	18.5	5.6				
8	26	1987	6918	6	1.83	18.5	5.6				
8	26	1987	6918	7	1.83	18.5	5.6				
8	26	1987	6918	8	1.83	18.5	5.5				
8	26	1987	6918	9	1.83	18.5	5.5				
8	26	1987	6918	10	1.83	17.0	5.2				
8	26	1987	6918	11	1.83	16.5	4.5				
8	26	1987	6918	12	1.83	16.0	3.7				
8	26	1987	6918	13	1.83	15.5	3.1				
8	26	1987	6918	14	1.83	15.0	3.2				
8	26	1987	6918	15	1.83	14.0	3.1				
8	26	1987	6918	16	1.83	13.5	3.2				
8	26	1987	6918	17	1.83	13.0	3.2				
8	26	1987	6918	18	1.83	11.0	3.8				
8	26	1987	6918	19	1.83	11.0	4.0				
8	26	1987	6918	20	1.83	10.5	4.2				
8	26	1987	6918	21	1.83	10.5	4.2				
8	26	1987	6918	22	1.83	10.5	4.2				
8	26	1987	6918	23	1.83	10.5	4.2				
8	26	1987	6918	24	1.83	10.5	4.2				
8	26	1987	6918	25	1.83	9.0	4.6				
8	26	1987	6918	26	1.83	9.0	4.6				
8	26	1987	6918	27	1.83	9.0	4.6				

8	26	1987	6918	28	1.83	9.0	4.6			
8	26	1987	6918	29	1.83	9.0	4.6			
8	26	1987	6918	30	1.83	8.0	5.0			
8	26	1987	6918	31	1.83	8.0	5.0			
8	26	1987	6918	32	1.83	8.0	5.0			
8	26	1987	6918	33	1.83	8.0	5.0			
8	26	1987	6918	34	1.83	8.0	5.0			
8	26	1987	6918	35	1.83	8.0	5.4			
8	26	1987	6918	36	1.83	8.0	5.4			
8	26	1987	6918	37	1.83	8.0	5.4			
8	26	1987	6918	38	1.83	8.0	5.4			
8	26	1987	6918	39	1.83	8.0	5.4			
8	26	1987	6918	40	1.83	7.5	5.6			
8	26	1987	6918	41	1.83	7.5	5.6			
8	26	1987	6918	42	1.83	7.5	5.6			
8	26	1987	6918	43	1.83	7.5	5.6			
8	26	1987	6918	44	1.83	7.5	5.6			
8	26	1987	6918	45	1.83	7.0	5.7			
9	9	1987	6916	0.0	2.55	17.28				
9	9	1987	6916	3.0	2.55	17.00				
9	9	1987	6916	6.1	2.55	17.00				
9	9	1987	6916	9.1	2.55	17.00				
9	9	1987	6916	12.2	2.55	16.89				
9	9	1987	6916	15.2	2.55	16.50				
9	9	1987	6916	18.3	2.55	10.61				
9	9	1987	6916	21.3	2.55	9.50				
9	9	1987	6916	24.4	2.55	9.11				
9	9	1987	6916	27.4	2.55	8.39				
9	9	1987	6916	30.5	2.55	8.00				
9	9	1987	6916	33.5	2.55	7.78				
9	9	1987	6916	36.6	2.55	7.50				
9	9	1987	6916	39.6	2.55	7.50				
9	9	1987	6916	42.7	2.55	7.39				
9	16	1987	6914	0	3.05	16.0	6.5			
9	16	1987	6914	1	3.05	16.0	6.4			
9	16	1987	6914	2	3.05	16.0	6.3			
9	16	1987	6914	3	3.05	16.0	6.3			
9	16	1987	6914	4	3.05	16.0	6.2			
9	16	1987	6914	5	3.05	16.0	6.3			
9	16	1987	6914	6	3.05	16.0	6.2			
9	16	1987	6914	7	3.05	16.0	6.2			
9	16	1987	6914	8	3.05	16.0	6.2			
9	16	1987	6914	9	3.05	16.0	6.1			
9	16	1987	6914	10	3.05	16.0	6.2			
9	16	1987	6914	11	3.05	16.0	6.2			
9	16	1987	6914	12	3.05	16.0	6.1			
9	16	1987	6914	13	3.05	16.0	6.2			
9	16	1987	6914	14	3.05	16.0	6.2			
9	16	1987	6914	15	3.05	16.0	6.1			
9	16	1987	6914	16	3.05	16.0	6.1			
9	16	1987	6914	17	3.05	14.0	4.0			

9	16	1987	6914	18	3.05	12.5	3.6				
9	16	1987	6914	19	3.05	12.0	3.8				
9	16	1987	6914	20	3.05	11.5	4.0				
9	16	1987	6914	21	3.05	10.0	4.3				
9	16	1987	6914	22	3.05	10.0	4.6				
9	16	1987	6914	23	3.05	10.0	5.0				
9	16	1987	6914	24	3.05	9.0	5.2				
9	16	1987	6914	25	3.05	9.0	5.3				
9	16	1987	6914	26	3.05	8.5	5.4				
9	16	1987	6914	27	3.05	8.5	5.4				
9	16	1987	6914	28	3.05	8.5	5.4				
9	16	1987	6914	29	3.05	8.0	5.6				
9	16	1987	6914	30	3.05	8.0	5.7				
9	16	1987	6914	31	3.05	8.0	5.7				
9	16	1987	6914	32	3.05	8.0	5.7				
9	16	1987	6914	33	3.05	8.0	5.7				
9	16	1987	6914	34	3.05	8.0	5.7				
9	16	1987	6914	35	3.05	7.5	6.0				
9	16	1987	6914	36	3.05	7.5	6.0				
9	16	1987	6914	37	3.05	7.5	6.0				
9	16	1987	6914	38	3.05	7.5	6.0				
9	16	1987	6914	39	3.05	7.5	6.0				
9	16	1987	6914	40	3.05	7.0	6.1				
9	16	1987	6914	41	3.05	7.0	6.1				
9	16	1987	6914	42	3.05	7.0	6.1				
9	16	1987	6914	43	3.05	7.0	6.1				
9	16	1987	6914	44	3.05	7.0	6.1				
9	16	1987	6914	45	3.05	7.0	6.0				
11	4	1987	6911	0	3.96	12.0	7.2				
11	4	1987	6911	1	3.96	11.5	7.1				
11	4	1987	6911	2	3.96	11.0	7.1				
11	4	1987	6911	3	3.96	11.0	7.1				
11	4	1987	6911	4	3.96	11.0	7.1				
11	4	1987	6911	5	3.96	11.0	7.0				
11	4	1987	6911	6	3.96	11.0	7.0				
11	4	1987	6911	7	3.96	11.0	6.9				
11	4	1987	6911	8	3.96	11.0	7.0				
11	4	1987	6911	9	3.96	11.0	6.9				
11	4	1987	6911	10	3.96	11.0	6.9				
11	4	1987	6911	11	3.96	11.0	6.9				
11	4	1987	6911	12	3.96	11.0	6.9				
11	4	1987	6911	13	3.96	11.0	6.9				
11	4	1987	6911	14	3.96	11.0	6.9				
11	4	1987	6911	15	3.96	11.0	6.9				
11	4	1987	6911	16	3.96	11.0	6.9				
11	4	1987	6911	17	3.96	11.0	6.9				
11	4	1987	6911	18	3.96	11.0	6.9				
11	4	1987	6911	19	3.96	11.0	6.9				
11	4	1987	6911	20	3.96	11.0	6.9				
11	4	1987	6911	21	3.96	11.0	6.4				
11	4	1987	6911	22	3.96	9.0	4.8				

11	4	1987	6911	23	3.96	8.5	5.0				
11	4	1987	6911	24	3.96	8.5	5.2				
11	4	1987	6911	25	3.96	8.0	5.3				
11	4	1987	6911	26	3.96	8.0	5.5				
11	4	1987	6911	27	3.96	8.0	5.4				
11	4	1987	6911	28	3.96	8.0	5.4				
11	4	1987	6911	29	3.96	8.0	5.4				
11	4	1987	6911	30	3.96	8.0	5.5				
11	4	1987	6911	31	3.96	8.0	5.5				
11	4	1987	6911	32	3.96	8.0	5.5				
11	4	1987	6911	33	3.96	8.0	5.5				
11	4	1987	6911	34	3.96	8.0	5.5				
11	4	1987	6911	35	3.96	8.0	5.8				
11	4	1987	6911	36	3.96	7.5	5.9				
11	4	1987	6911	37	3.96	7.5	6.1				
11	4	1987	6911	38	3.96	7.5	6.1				
11	4	1987	6911	39	3.96	7.5	6.1				
11	4	1987	6911	40	3.96	7.5	5.8				
11	4	1987	6911	41	3.96	7.5	5.4				
11	4	1987	6911	42	3.96	7.5	5.2				
11	4	1987	6911	43	3.96	7.0	4.9				
11	4	1987	6911	44	3.96	7.0	5.2				
11	4	1987	6911	45	3.96	7.0	5.2				
5	23	1988	6923	0	0.18	10.0	8.5				
5	23	1988	6923	1	0.18	9.0	8.6				
5	23	1988	6923	2	0.18	8.5	8.7				
5	23	1988	6923	3	0.18	8.5	8.7				
5	23	1988	6923	4	0.18	8.5	8.7				
5	23	1988	6923	5	0.18	8.0	8.7				
5	23	1988	6923	6	0.18	8.5	8.8				
5	23	1988	6923	7	0.18	8.5	8.8				
5	23	1988	6923	8	0.18	8.0	8.8				
5	23	1988	6923	9	0.18	8.0	8.9				
5	23	1988	6923	10	0.18	8.0	8.9				
5	23	1988	6923	15	0.18	8.0	8.8				
5	23	1988	6923	20	0.18	8.0	9.0				
5	23	1988	6923	25	0.18	7.0	8.9				
5	23	1988	6923	30	0.18	6.5	9.0				
5	23	1988	6923	35	0.18	6.0	8.9				
5	23	1988	6923	40	0.18	6.0	9.0				
5	23	1988	6923	45	0.18	6.0	8.9				
8	31	1988	6917	0.0	2.05	20.72					
8	31	1988	6917	3.0	2.05	20.39					
8	31	1988	6917	6.1	2.05	20.00					
8	31	1988	6917	9.1	2.05	18.50					
8	31	1988	6917	12.2	2.05	15.11					
8	31	1988	6917	15.2	2.05	11.89					
8	31	1988	6917	18.3	2.05	10.00					
8	31	1988	6917	21.3	2.05	8.89					
8	31	1988	6917	24.4	2.05	8.00					
8	31	1988	6917	27.4	2.05	7.72					

8	31	1988	6917	30.5	2.05	7.39					
8	31	1988	6917	33.5	2.05	7.44					
8	31	1988	6917	36.6	2.05	8.33					
6	13	1990	6907	0.0	5.20	15.78					
6	13	1990	6907	3.0	5.20	15.78					
6	13	1990	6907	6.1	5.20	15.72					
6	13	1990	6907	9.1	5.20	15.50					
6	13	1990	6907	12.2	5.20	15.00					
6	13	1990	6907	15.2	5.20	10.50					
6	13	1990	6907	18.3	5.20	9.78					
6	13	1990	6907	21.3	5.20	8.61					
6	13	1990	6907	24.4	5.20	7.50					
6	13	1990	6907	27.4	5.20	7.00					
6	13	1990	6907	30.5	5.20	6.28					
6	13	1990	6907	33.5	5.20	6.11					
6	13	1990	6907	36.6	5.20	6.00					
6	13	1990	6907	39.6	5.20	5.89					
6	13	1990	6907	42.7	5.20	5.78					
6	13	1990	6907	44.2	5.20	5.78					
7	2	1990	6903	0.0	6.31	20.00					
7	2	1990	6903	3.0	6.31	19.00					
7	2	1990	6903	6.1	6.31	16.50					
7	2	1990	6903	9.1	6.31	14.22					
7	2	1990	6903	12.2	6.31	12.78					
7	2	1990	6903	15.2	6.31	10.00					
7	2	1990	6903	18.3	6.31	8.78					
7	2	1990	6903	21.3	6.31	7.89					
7	2	1990	6903	24.4	6.31	7.22					
7	2	1990	6903	27.4	6.31	6.78					
7	2	1990	6903	30.5	6.31	6.61					
7	2	1990	6903	33.5	6.31	6.28					
7	2	1990	6903	36.6	6.31	6.22					
7	2	1990	6903	39.6	6.31	6.11					
7	2	1990	6903	42.7	6.31	6.11					
7	2	1990	6903	44.2	6.31	6.50					
8	10	1990	6895	0.0	8.96	21.00					
8	10	1990	6895	3.0	8.96	19.50					
8	10	1990	6895	6.1	8.96	19.00					
8	10	1990	6895	9.1	8.96	16.72					
8	10	1990	6895	12.2	8.96	12.11					
8	10	1990	6895	15.2	8.96	9.50					
8	10	1990	6895	18.3	8.96	8.39					
8	10	1990	6895	21.3	8.96	8.00					
8	10	1990	6895	24.4	8.96	7.50					
8	10	1990	6895	27.4	8.96	7.00					
8	10	1990	6895	30.5	8.96	6.78					
8	10	1990	6895	33.5	8.96	6.50					
8	10	1990	6895	36.6	8.96	6.50					
8	10	1990	6895	39.6	8.96	6.28					
8	10	1990	6895	42.7	8.96	6.50					
8	10	1990	6895	44.2	8.96	6.50					



8	30	1990	6891	0.0	9.99	20.28				
8	30	1990	6891	3.0	9.99	19.00				
8	30	1990	6891	6.1	9.99	18.33				
8	30	1990	6891	9.1	9.99	17.00				
8	30	1990	6891	12.2	9.99	13.72				
8	30	1990	6891	15.2	9.99	10.00				
8	30	1990	6891	18.3	9.99	8.50				
8	30	1990	6891	21.3	9.99	7.89				
8	30	1990	6891	24.4	9.99	7.22				
8	30	1990	6891	27.4	9.99	7.00				
8	30	1990	6891	30.5	9.99	6.89				
8	30	1990	6891	33.5	9.99	6.50				
8	30	1990	6891	36.6	9.99	6.50				
8	30	1990	6891	39.6	9.99	6.50				
8	30	1990	6891	42.7	9.99	6.50				
8	30	1990	6891	44.2	9.99	6.50				
9	19	1990	6888	0.0	11.06	18.00				
9	19	1990	6888	3.0	11.06	17.89				
9	19	1990	6888	6.1	11.06	17.72				
9	19	1990	6888	9.1	11.06	17.61				
9	19	1990	6888	12.2	11.06	10.11				
9	19	1990	6888	15.2	11.06	9.00				
9	19	1990	6888	18.3	11.06	7.89				
9	19	1990	6888	21.3	11.06	7.50				
9	19	1990	6888	24.4	11.06	7.00				
9	19	1990	6888	27.4	11.06	6.89				
9	19	1990	6888	30.5	11.06	6.78				
9	19	1990	6888	33.5	11.06	6.61				
9	19	1990	6888	36.6	11.06	6.50				
9	19	1990	6888	39.6	11.06	6.50				
9	19	1990	6888	42.7	11.06	6.50				
9	19	1990	6888	44.2	11.06	6.39				
7	29	1991	6914	0.0	3.08	20.50				
7	29	1991	6914	3.0	3.08	19.11				
7	29	1991	6914	6.1	3.08	18.11				
7	29	1991	6914	9.1	3.08	16.89				
7	29	1991	6914	12.2	3.08	13.22				
7	29	1991	6914	15.2	3.08	10.00				
7	29	1991	6914	18.3	3.08	9.00				
7	29	1991	6914	21.3	3.08	8.50				
7	29	1991	6914	24.4	3.08	8.28				
7	29	1991	6914	27.4	3.08	8.22				
7	29	1991	6914	30.5	3.08	8.78				
7	29	1991	6914	33.5	3.08	8.78				
7	29	1991	6914	36.6	3.08	8.67				
7	29	1991	6914	39.6	3.08	8.50				
7	29	1991	6914	42.7	3.08	8.50				
7	29	1991	6914	44.2	3.08	8.00				
6	27	2002	6866	0	17.68	18.1	7.46			
6	27	2002	6866	1	17.68	17.8	7.47			
6	27	2002	6866	2	17.68	17.4	7.76			

6	27	2002	6866	3	17.68	17.1	7.87				
6	27	2002	6866	4	17.68	16.8	7.97				
6	27	2002	6866	5	17.68	16.6	7.97				
6	27	2002	6866	6	17.68	16	7.76				
6	27	2002	6866	7	17.68	15.7	7.66				
6	27	2002	6866	8	17.68	15.2	7.52				
6	27	2002	6866	9	17.68	14.3	7.46				
6	27	2002	6866	10	17.68	13.3	7.47				
6	27	2002	6866	11	17.68	11.9	7.48				
6	27	2002	6866	12	17.68	10.9	7.47				
6	27	2002	6866	13	17.68	10.6	7.55				
6	27	2002	6866	14	17.68	10	7.67				
6	27	2002	6866	15	17.68	9.4	7.74				
6	27	2002	6866	16	17.68	9	7.84				
6	27	2002	6866	17	17.68	8.9	7.86				
6	27	2002	6866	18	17.68	8.7	7.92				
6	27	2002	6866	19	17.68	8.5	8.03				
6	27	2002	6866	20	17.68	8.2	7.88				
6	27	2002	6866	25	17.68	7.6	7.63				
6	27	2002	6866	30	17.68	6.8	6.20				
6	27	2002	6866	35	17.68	6.5	5.07				
6	27	2002	6866	38	17.68	6.5	4.65				
8	5	2003	6875	0	14.94						
8	5	2003	6875	2	14.94			0			
8	5	2003	6875	5	14.94			130.416			
8	5	2003	6875	10	14.94			78			
8	5	2003	6875	15	14.94			36.608			
8	5	2003	6875	20	14.94			4.368			
8	5	2003	6875	25	14.94			26.624			
8	5	2003	6875	30	14.94			29.12			
8	5	2003	6875	35	14.94			23.504			
8	5	2003	6875	40	14.94			73.424			
8	5	2003	6875	45	14.94			10.4			
8	5	2003	6875	50	14.94			3.536			
8	7	2003	6869	0	16.76						
8	7	2003	6869	10	16.76			2 K			
8	7	2003	6869	11	16.76			1 K			
8	7	2003	6869	12	16.76			5 3K,1R1SB			
8	7	2003	6869	13	16.76			2 K			
8	7	2003	6869	14	16.76			0			
8	7	2003	6869	15	16.76			1 K			
8	7	2003	6869	16	16.76			1 R			
8	7	2003	6869	17	16.76			3 K			
8	7	2003	6869	18	16.76			3 2K,1R			
8	7	2003	6869	19	16.76			2 1K,1B			
8	8	2003	6867	0	17.49	20.8	6.1				
8	8	2003	6867	1	17.49	20.6	5.9				
8	8	2003	6867	2	17.49	20.6	5.7				
8	8	2003	6867	3	17.49	20.5	5.6				
8	8	2003	6867	4	17.49	20.5	5.4				
8	8	2003	6867	5	17.49	20.3	5.3				

8	8	2003	6867	6	17.49	16.5	3.8				
8	8	2003	6867	7	17.49	13.6	4.0				
8	8	2003	6867	8	17.49	12.4	4.1				
8	8	2003	6867	9	17.49	10.5	4.7				
8	8	2003	6867	10	17.49	9.9	5.1				
8	8	2003	6867	11	17.49	9.3	5.2				
8	8	2003	6867	12	17.49	8.6	5.6				
8	8	2003	6867	13	17.49	8.2	5.7				
8	8	2003	6867	14	17.49	7.9	5.8				
8	8	2003	6867	15	17.49	7.7	5.9				
8	8	2003	6867	16	17.49	7.6	5.8				
8	8	2003	6867	17	17.49	7.5	5.7				
8	8	2003	6867	18	17.49	7.5	5.6				
8	8	2003	6867	19	17.49	7.4	5.7				
8	8	2003	6867	20	17.49	7.3	5.5				
8	8	2003	6867	25	17.49	6.9	6.0				
8	8	2003	6867	30	17.49	6.7	5.9				
8	8	2003	6867	35	17.49	6.4	5.6				
8	8	2003	6867	40	17.49	6.3	5.6				
7	21	2004	6895	3.5	8.74						
7	21	2004	6895	7.5	8.74			37			
7	21	2004	6895	12.5	8.74			109			
7	21	2004	6895	17.5	8.74			29			
7	21	2004	6895	22.5	8.74			6			
7	21	2004	6895	27.5	8.74			2			
7	21	2004	6895	32.5	8.74			0			
7	21	2004	6895	37.5	8.74			0			
7	21	2004	6895	42.5	8.74			3			
7	21	2004	6895	47.5	8.74			81			
7	21	2004	6895	52.5	8.74			96			
7	21	2004	6895	57.5	8.74			7			
9	22	2004	6879	0	13.86	14.8	7		259.6	8.28	
9	22	2004	6879	1	13.86	14.8	6.88		259.8	8.28	
9	22	2004	6879	2	13.86	14.8	6.81		260	8.25	
9	22	2004	6879	3	13.86	14.8	6.83		260	8.23	
9	22	2004	6879	4	13.86	14.8	6.77		260.5	8.22	
9	22	2004	6879	5	13.86	14.8	6.77		260.3	8.21	
9	22	2004	6879	6	13.86	14.8	6.7		260.3	8.2	
9	22	2004	6879	7	13.86	14.8	6.76		260.2	8.2	
9	22	2004	6879	8	13.86	14.8	6.78		260.3	8.19	
9	22	2004	6879	9	13.86	14.1	5.35		261.6	7.8	
9	22	2004	6879	10	13.86	12.3	4.68		261.3	7.66	
9	22	2004	6879	11	13.86	10.7	4.76		265.6	7.6	
9	22	2004	6879	12	13.86	10.5	4.69		265.9	7.59	
9	22	2004	6879	13	13.86	10.1	4.43		265.7	7.54	
9	22	2004	6879	14	13.86	9.6	4.4		269	7.53	
9	22	2004	6879	15	13.86	9.1	4.6		270	7.66	
9	22	2004	6879	16	13.86	8.4	4.96		276.9	7.52	
9	22	2004	6879	17	13.86	8.1	5.38		282.3	7.56	
9	22	2004	6879	18	13.86	7.7	5.73		288.9	7.6	
9	22	2004	6879	19	13.86	7.4	6.12		294.5	7.66	

9	22	2004	6879	20	13.86	7.2	6.39			297.1	7.69
9	22	2004	6879	21	13.86	7.1	6.6			299.2	7.71
9	22	2004	6879	22	13.86	7	6.57			299.6	7.71
9	22	2004	6879	23	13.86	6.9	6.51			300.6	7.71
9	22	2004	6879	24	13.86	6.9	6.57			301.7	7.72
9	22	2004	6879	25	13.86	6.8	6.58			302.1	7.72
9	22	2004	6879	26	13.86	6.7	6.47			302.7	7.72
9	22	2004	6879	27	13.86	6.7	6.53			305.6	7.75
9	22	2004	6879	28	13.86	6.6	6.47			305.9	7.74
9	22	2004	6879	29	13.86	6.5	6.51			307.2	7.74
9	22	2004	6879	30	13.86	6.4	6.5			308.6	7.75
9	22	2004	6879	35	13.86	6.3	6.46			311.1	7.75
9	22	2004	6879	40	13.86	6.1	6.3			313	7.73
9	22	2004	6879	45	13.86	6	6.21			314.5	7.71
9	22	2004	6879	50	13.86	6	6.03			315	7.69
5	18	2005	6919	0	1.61	11.6	8.87			258.1	8.03
5	18	2005	6919	1	1.61	10.4	9			257.2	8.06
5	18	2005	6919	2	1.61	10.1	8.94			257.5	8.03
5	18	2005	6919	3	1.61	10	8.92			257.4	8
5	18	2005	6919	4	1.61	10	8.75			257.5	8
5	18	2005	6919	5	1.61	9.9	8.71			257.6	8
5	18	2005	6919	6	1.61	9.9	8.83			258	8
5	18	2005	6919	7	1.61	9.9	8.73			257.9	8
5	18	2005	6919	8	1.61	9.8	8.75			257.8	8
5	18	2005	6919	9	1.61	9.8	8.71			257.9	8.01
5	18	2005	6919	10	1.61	9.8	8.78			258	8.01
5	18	2005	6919	11	1.61	9.8	8.82			258	8.04
5	18	2005	6919	12	1.61	9.7	8.59			258	8.06
5	18	2005	6919	13	1.61	9.7	8.69			258	8.06
5	18	2005	6919	14	1.61	9.6	8.64			258	8.05
5	18	2005	6919	15	1.61	9.2	8.72			258.5	8.02
5	18	2005	6919	16	1.61	8.3	8.71			258.8	7.99
5	18	2005	6919	17	1.61	8.3	8.59			257.9	7.94
5	18	2005	6919	18	1.61	8	8.55			257.2	7.92
5	18	2005	6919	19	1.61	7.7	8.53			253.7	7.91
5	18	2005	6919	20	1.61	7.3	8.56			255.4	7.88
5	18	2005	6919	21	1.61	7.1	8.54			258.2	7.89
5	18	2005	6919	22	1.61	7	8.49			262	7.9
5	18	2005	6919	23	1.61	6.8	8.43			273	7.91
5	18	2005	6919	24	1.61	6.7	8.52			280.2	7.92
5	18	2005	6919	25	1.61	6.6	8.57			280.1	7.92
5	18	2005	6919	26	1.61	6.5	8.54			283.2	7.92
5	18	2005	6919	27	1.61	6.5	8.56			288.2	7.92
5	18	2005	6919	28	1.61	6.3	8.5			288.2	7.92
5	18	2005	6919	29	1.61	6.3	8.47			288.1	7.93
5	18	2005	6919	30	1.61	6.2	8.52			287.6	7.92
5	18	2005	6919	31	1.61	6.1	8.58			287.7	7.92
5	18	2005	6919	32	1.61	6	8.49			287.6	7.92
5	18	2005	6919	33	1.61	6	8.47			288.8	7.92
5	18	2005	6919	34	1.61	5.9	8.52			289.2	7.92
5	18	2005	6919	35	1.61	6	8.55			289.3	7.92

5	18	2005	6919	36	1.61	5.9	8.54			290.3	7.92
5	18	2005	6919	37	1.61	5.9	8.59			290.6	7.92
5	18	2005	6919	38	1.61	5.9	8.56			290.1	7.92
5	18	2005	6919	39	1.61	5.8	8.52			290.4	7.92
5	18	2005	6919	40	1.61	5.8	8.49			290.3	7.92
5	18	2005	6919	41	1.61	5.8	8.43			290.2	7.92
5	18	2005	6919	42	1.61	5.7	8.45			290.1	7.92
5	18	2005	6919	43	1.61	5.6	8.47			288.4	7.92
5	18	2005	6919	44	1.61	5.6	8.43			288.3	7.92
5	18	2005	6919	45	1.61	5.6	8.51			288	7.92
5	18	2005	6919	46	1.61	5.6	8.43			287.8	7.92
5	18	2005	6919	47	1.61	5.6	8.45			288	7.92
5	18	2005	6919	48	1.61	5.6	8.46			289.3	7.92
5	18	2005	6919	49	1.61	5.6	8.49			289.5	7.92
5	18	2005	6919	50	1.61	5.6	8.47			289.2	7.92
5	18	2005	6919	51	1.61	5.6	8.46			289.3	7.92
5	18	2005	6919	52	1.61	5.5	8.47			288.3	7.91
5	18	2005	6919	53	1.61	5.4	8.5			286.9	7.91
5	18	2005	6919	54	1.61	5.4	8.49			287.4	7.91
5	18	2005	6919	55	1.61	5.4	8.35			287.9	7.91
5	18	2005	6919	56	1.61	5.4	8.4			288.7	7.91
5	18	2005	6919	57	1.61	5.4	8.43			288.8	7.91
5	18	2005	6919	58	1.61	5.4	8.35			288.8	7.91
5	18	2005	6919	59	1.61	5.4	8.33			288.8	7.91
5	18	2005	6919	60	1.61	5.3	8.38			289.2	7.91
5	18	2005	6919	61	1.61	5.3	8.41			288.8	7.91
5	18	2005	6919	62	1.61	5.3	8.42			288.6	7.9
5	18	2005	6919	63	1.61	5.3	8.44			288.3	7.91
5	18	2005	6919	64	1.61	5.3	8.45			288.6	7.91
5	18	2005	6919	65	1.61	5.3	8.45			288.4	7.91
5	18	2005	6919	66	1.61	5.3	8.43			288.4	7.9
5	18	2005	6919	67	1.61	5.3	8.38			288.6	7.9
5	18	2005	6919	68	1.61	5.2	8.39			288.2	7.9
5	18	2005	6919	69	1.61	5.2	8.39			288.2	7.9
5	18	2005	6919	70	1.61	5.2	8.37			288.5	7.9
5	18	2005	6919	71	1.61	5.2	8.4			288.3	7.9
5	18	2005	6919	72	1.61	5.2	8.4			288.8	7.9
6	7	2005	6924	0	0.12	22.6	6.1				
6	7	2005	6924	1	0.12	21.7	6.2				
6	7	2005	6924	2	0.12	21.2	6.3				
6	7	2005	6924	3	0.12	20.3	6.3				
6	7	2005	6924	4	0.12	20	6.2				
6	7	2005	6924	5	0.12	19.4	6.3				
6	7	2005	6924	6	0.12	18.8	6.2				
6	7	2005	6924	7	0.12	18.5	6.1				
6	7	2005	6924	8	0.12	18.3	6.0				
6	7	2005	6924	9	0.12	17.3	5.2				
6	7	2005	6924	10	0.12	16.8	5.1				
6	7	2005	6924	11	0.12	16.1	5.0				
6	7	2005	6924	12	0.12	14.5	5.0				
6	7	2005	6924	13	0.12	13.1	5.2				

6	7	2005	6924	14	0.12	12.6	5.4				
6	7	2005	6924	15	0.12	12.1	5.5				
6	7	2005	6924	16	0.12	11.6	5.8				
6	7	2005	6924	17	0.12	11.1	5.9				
6	7	2005	6924	18	0.12	10.5	6.1				
6	7	2005	6924	19	0.12	10.1	6.2				
6	7	2005	6924	20	0.12	9.7	6.4				
6	7	2005	6924	25	0.12	8.9	6.7				
6	7	2005	6924	30	0.12	8.4	7.0				
6	7	2005	6924	35	0.12	7.9	7.0				
6	7	2005	6924	40	0.12	7.8	7.1				
6	7	2005	6924	45	0.12	7.4	7.2				
6	7	2005	6924	50	0.12	7.3	7.3				
6	7	2005	6924	55	0.12	7.2	7.1				
7	20	2005	6919	0	1.39	19.2	7.14			223.4	8.26
7	20	2005	6919	1	1.39	19.1	7.01			223.5	8.23
7	20	2005	6919	2	1.39	19.1	7			223.4	8.21
7	20	2005	6919	3	1.39	19.1	7			223.7	8.2
7	20	2005	6919	4	1.39	19.1	6.96			223.6	8.19
7	20	2005	6919	5	1.39	18.7	7.01			223.1	8.18
7	20	2005	6919	6	1.39	18.5	6.94			222.8	8.15
7	20	2005	6919	7	1.39	18.3	6.79			222.9	8.1
7	20	2005	6919	8	1.39	18.2	6.75			222.8	8.08
7	20	2005	6919	9	1.39	17.4	5.84			220.6	7.84
7	20	2005	6919	10	1.39	15	5.58			207.2	7.59
7	20	2005	6919	11	1.39	13.6	5.69			204.6	7.49
7	20	2005	6919	12	1.39	12.7	5.88			206	7.45
7	20	2005	6919	13	1.39	12	5.94			208	7.43
7	20	2005	6919	14	1.39	11.3	6.09			203.3	7.42
7	20	2005	6919	15	1.39	10.7	6.3			201.1	7.41
7	20	2005	6919	16	1.39	10.2	6.6			201.7	7.41
7	20	2005	6919	17	1.39	9.8	6.75			203.1	7.41
7	20	2005	6919	18	1.39	9.5	6.84			207.1	7.41
7	20	2005	6919	19	1.39	9.3	6.85			211.8	7.41
7	20	2005	6919	20	1.39	9.2	6.95			212.4	7.42
7	20	2005	6919	21	1.39	9	7.01			214.1	7.43
7	20	2005	6919	22	1.39	8.8	7.13			214.9	7.44
7	20	2005	6919	23	1.39	8.6	7.08			223.6	7.43
7	20	2005	6919	24	1.39	8.5	7.13			226	7.44
7	20	2005	6919	25	1.39	8.4	7.17			228.1	7.45
7	20	2005	6919	26	1.39	8.3	7.24			229.6	7.46
7	20	2005	6919	27	1.39	8.2	7.26			231.2	7.46
7	20	2005	6919	28	1.39	8.1	7.31			232.7	7.47
7	20	2005	6919	29	1.39	8.1	7.35			233.9	7.48
7	20	2005	6919	30	1.39	8	7.31			233.6	7.46
7	20	2005	6919	31	1.39	8	7.28			234.4	7.47
7	20	2005	6919	32	1.39	7.9	7.35			234.3	7.46
7	20	2005	6919	33	1.39	7.8	7.29			233.6	7.46
7	20	2005	6919	34	1.39	7.8	7.31			236.1	7.47
7	20	2005	6919	35	1.39	7.7	7.44			239.1	7.48
7	20	2005	6919	36	1.39	7.7	7.41			240.4	7.48

7	20	2005	6919	37	1.39	7.6	7.45			242	7.49
7	20	2005	6919	38	1.39	7.6	7.47			242.6	7.49
7	20	2005	6919	39	1.39	7.5	7.4			243.4	7.48
7	20	2005	6919	40	1.39	7.5	7.34			243.9	7.48
7	20	2005	6919	41	1.39	7.4	7.38			244.7	7.48
7	20	2005	6919	42	1.39	7.4	7.34			244.3	7.48
7	20	2005	6919	43	1.39	7.3	7.35			243.7	7.47
7	20	2005	6919	44	1.39	7.3	7.37			245.2	7.47
7	20	2005	6919	45	1.39	7.3	7.38			245.8	7.48
7	20	2005	6919	46	1.39	7.3	7.39			246.1	7.47
7	20	2005	6919	47	1.39	7.3	7.35			245.7	7.47
7	20	2005	6919	48	1.39	7.3	7.29			245.1	7.47
7	20	2005	6919	49	1.39	7.2	7.1			244.1	7.45
7	20	2005	6919	50	1.39	7.2	7.05			244	7.45
7	20	2005	6919	51	1.39	7.2	7.08			244.4	7.44
7	20	2005	6919	52	1.39	7.1	7			244.5	7.44
7	20	2005	6919	53	1.39	7.1	6.97			245	7.44
7	20	2005	6919	54	1.39	7.1	6.96			245.2	7.43
7	20	2005	6919	55	1.39	7.1	6.94			245.6	7.44
7	20	2005	6919	56	1.39	7.1	6.94			245.4	7.43
7	20	2005	6919	57	1.39	7.1	6.93			245.7	7.43
7	20	2005	6919	58	1.39	7.1	6.88			246	7.42
7	20	2005	6919	59	1.39	7	6.76			246	7.41
7	20	2005	6919	60	1.39	7	6.68			245.7	7.39
7	20	2005	6919	61	1.39	7	6.59			246.2	7.39
7	20	2005	6919	62	1.39	7	6.59			246.5	7.39
7	20	2005	6919	63	1.39	7	6.59			246.3	7.39
7	20	2005	6919	64	1.39	7	6.57			246.3	7.39
7	20	2005	6919	65	1.39	7	6.58			246.8	7.39
7	20	2005	6919	66	1.39	7	6.53			246.9	7.39
7	20	2005	6919	67	1.39	7	6.51			246.6	7.38
7	20	2005	6919	68	1.39	7	6.47			246.9	7.38
7	20	2005	6919	69	1.39	7	6.49			247.3	7.38
8	17	2005	6914	0	3.09	20.5	6.73			231	8.33
8	17	2005	6914	1	3.09	20.5	6.61			230.7	8.31
8	17	2005	6914	2	3.09	20.5	6.58			230.5	8.3
8	17	2005	6914	3	3.09	20.5	6.43			230.4	8.29
8	17	2005	6914	4	3.09	20.5	6.46			230.7	8.29
8	17	2005	6914	5	3.09	20.5	6.49			230.7	8.28
8	17	2005	6914	6	3.09	20.5	6.5			230.6	8.28
8	17	2005	6914	7	3.09	20.4	6.36			230.9	8.27
8	17	2005	6914	8	3.09	20.3	6.43			230.7	8.26
8	17	2005	6914	9	3.09	17.5	3.76			221.2	7.57
8	17	2005	6914	10	3.09	15.9	3.62			216	7.41
8	17	2005	6914	11	3.09	14.8	3.74			211.2	7.37
8	17	2005	6914	12	3.09	14	3.96			209.2	7.34
8	17	2005	6914	13	3.09	12.8	4.38			208.9	7.34
8	17	2005	6914	14	3.09	11.7	5			206.6	7.35
8	17	2005	6914	15	3.09	11.1	5.3			204.8	7.35
8	17	2005	6914	16	3.09	10.3	5.83			205.8	7.38
8	17	2005	6914	17	3.09	9.9	5.96			207.4	7.39

8	17	2005	6914	18	3.09	9.4	6.16			211.1	7.4
8	17	2005	6914	19	3.09	9.1	6.28			212.8	7.41
8	17	2005	6914	20	3.09	8.9	6.47			214.2	7.42
8	17	2005	6914	21	3.09	8.7	6.47			220.2	7.42
8	17	2005	6914	22	3.09	8.6	6.47			224.8	7.42
8	17	2005	6914	23	3.09	8.5	6.56			227.4	7.43
8	17	2005	6914	24	3.09	8.4	6.65			228.2	7.45
8	17	2005	6914	25	3.09	8.3	6.7			229.1	7.46
8	17	2005	6914	26	3.09	8.2	6.76			230	7.47
8	17	2005	6914	27	3.09	8.1	6.76			230.8	7.47
8	17	2005	6914	28	3.09	8	6.87			231.6	7.48
8	17	2005	6914	29	3.09	7.9	6.86			232.6	7.47
8	17	2005	6914	30	3.09	7.9	6.86			233	7.48
8	17	2005	6914	31	3.09	7.8	6.93			233.5	7.48
8	17	2005	6914	32	3.09	7.7	7.02			234.8	7.49
8	17	2005	6914	33	3.09	7.7	7			236.4	7.49
8	17	2005	6914	34	3.09	7.7	7.01			236.6	7.49
8	17	2005	6914	35	3.09	7.6	6.94			236.9	7.49
8	17	2005	6914	36	3.09	7.6	6.87			237.4	7.48
8	17	2005	6914	37	3.09	7.5	6.93			239.7	7.49
8	17	2005	6914	38	3.09	7.5	6.91			240.4	7.49
8	17	2005	6914	39	3.09	7.4	6.85			240	7.48
8	17	2005	6914	40	3.09	7.4	6.79			240.3	7.48
8	17	2005	6914	41	3.09	7.4	6.84			241.2	7.48
8	17	2005	6914	42	3.09	7.4	6.92			242.2	7.48
8	17	2005	6914	43	3.09	7.3	6.94			242.3	7.49
8	17	2005	6914	44	3.09	7.3	6.86			242.3	7.48
8	17	2005	6914	45	3.09	7.3	6.79			242.3	7.48
8	17	2005	6914	46	3.09	7.3	6.71			241.8	7.47
8	17	2005	6914	47	3.09	7.2	6.7			241.5	7.46
8	17	2005	6914	48	3.09	7.2	6.63			242	7.46
8	17	2005	6914	49	3.09	7.2	6.65			242.4	7.46
8	17	2005	6914	50	3.09	7.2	6.65			242	7.46
8	17	2005	6914	51	3.09	7.2	6.5			241.7	7.44
8	17	2005	6914	52	3.09	7.2	6.39			241.8	7.43
8	17	2005	6914	53	3.09	7.1	6.43			242	7.43
8	17	2005	6914	54	3.09	7.1	6.35			242	7.43
8	17	2005	6914	55	3.09	7.1	6.28			242	7.42
8	17	2005	6914	56	3.09	7.1	6.29			242	7.42
8	17	2005	6914	57	3.09	7.1	6.28			242.5	7.42
8	17	2005	6914	58	3.09	7.1	6.2			242.6	7.41
8	17	2005	6914	59	3.09	7.1	6.1			242.8	7.4
8	17	2005	6914	60	3.09	7.1	6			243.1	7.39
8	17	2005	6914	61	3.09	7.1	5.93			243.1	7.38
8	17	2005	6914	62	3.09	7.1	5.9			243.1	7.38
8	17	2005	6914	63	3.09	7.1	5.87			243	7.38
8	17	2005	6914	64	3.09	7	5.75			243.4	7.37
8	17	2005	6914	65	3.09	7	5.75			243.6	7.36
8	17	2005	6914	66	3.09	7	5.67			243.8	7.36
8	17	2005	6914	67	3.09	7	5.54			244.1	7.35