

U.S. Department of Energy's Involvement in the Dolores River Restoration Partnership


Marilyn Kastens
S.M. Stoller Corporation
Contractor to DOE



U.S. DEPARTMENT OF
ENERGY

Legacy
Management







05/28/2010 00:33

Table 1. Seed Mix Sown in Disturbed Areas of the Dolores River Corridor

Species		Broadcast Application Rate (lbs. PLS ^a / acre)
Scientific Name	Common Name	
<i>Pascopyrum smithii</i>	Western wheatgrass [var. Arriba]	4.0
<i>Elymus trachycaulus</i> ssp. <i>trachycaulus</i>	Slender wheatgrass	2.0
<i>Achnatherum hymenoides</i>	Indian ricegrass [var. Paloma]	4.0
<i>Bouteloua gracilis</i>	Blue grama [var. Hachita]	2.0
<i>Pleuraphis jamesii</i>	Galleta grass	2.0
<i>Hesperostipa comata</i>	Needle and thread grass	1.0
<i>Nassella viridula</i>	Green needlegrass [var. Lodorm]	2.0
<i>Linum lewisii</i>	Lewis flax	1.0
<i>Penstemon palmeri</i>	Palmer penstemon [var. Cedar]	0.5
<i>Sphaeralcea coccinea</i> or <i>Sphaeralcea parvifolia</i>	Scarlet or Smallflower globemallow	0.3
<i>Atriplex canescens</i>	Fourwing saltbush [var. Rincon)	3.0
<i>Krascheninnikovia lanata</i>	Winterfat	1.0
Total pounds per acre		22.8

^aPLS = pure live seed.

