Archuleta County, Colorado

Wildlife Resources

The attached lists identify the various species of fish and wildlife that might be expected to be found in Archuleta County, Colorado and includes species that were found here historically, are known to be here now, and those species that might be expected to be in the area, but for which no records currently exist.

Of the nearly 350 species listed for Archuleta County, 15 are identified by the U. S. Fish and Wildlife Service and/or the State of Colorado as threatened or endangered. An additional 13 are identified by the State of Colorado as Species of Special Concern and 15 by the United States Forest Service as Forest Service Sensitive. Every species of fish and wildlife has their own, sometimes unique, habitat requirements that can determine how well those species fare, especially in the face of development and changing environmental conditions.

Fish

Of the nine species of fish native to Archuleta County, three are listed as Federal and State Endangered and are no longer found in the County, two are State Special Concern, and two are Forest Service Sensitive. Dewatering of rivers and streams for domestic and agricultural use, water impoundments that have blocked fish movement and altered natural flow regimes, and reduced water quality have all negatively impacted these native species. Competition and/or hybridization with introduced non-native fish species have also led to the decline of some species.

Wildlife

Archuleta County provides habitat for hundreds of wildlife species, the following species are just some of those that occur in the watershed and are addressed because of their special or economic status.

Bald Eagle (Federal Threatened, State Threatened):

The Bald Eagle is usually associated with lakes, reservoirs, rivers, and adjacent conifer forests and cottonwood riparian areas. It is known to nest in Archuleta County and adjacent counties. The San Juan and Piedra river basins, including the lower Stollsteimer Creek watershed are important wintering areas for Bald Eagles, as well as other raptors. Conifers and cottonwood trees provide perch and roost sites, while prairie dog towns, winter-killed and road-killed big game animals provide good forage for the birds when the lakes and rivers are frozen.

Peregrine Falcon (Species of Special Concern):

At one time the Peregrine Falcon was listed as Federally Endangered and in 1977 Colorado had only four known breeding pairs. The Chimney Rock area adjacent to the

Stollsteimer Creek watershed was very important to Colorado's efforts in the recovery of this recently delisted species, as it provides both nesting cliffs and good foraging areas.

Mexican Spotted Owl (Federal Threatened, State Threatened):

This species occupies two distinct habitat types; large, steep canyons with exposed cliffs and dense old growth mixed forest of Douglas-fir, white fir and ponderosa pine, and canyons in pinyon/juniper areas with small and widely scattered patches of old Douglas-firs. Low numbers, coupled with exacting habitat requirements and low nesting productivity leave Colorado's Spotted Owls susceptible to extirpation.

Southwestern Willow Flycatcher (Federal Endangered, State Endangered):

Historically, the southwest willow flycatcher was associated with southwestern wetlands, particularly the cottonwood- willow riparian habitats in the southwestern United States — California, Nevada, Utah, Arizona, New Mexico, Texas and possibly Mexico. The species is thought to occur in the extreme southwestern part of Colorado. However, breeding has never been documented. As much as 90 percent of their preferred habitat has been lost or degraded. The federal listing rule stated the primary causes are urban and agricultural development, water diversion and impoundment, stream channelization, livestock grazing, invasion of exotic tamarisk or salt-cedar, off-road vehicle use, other recreational uses and the hydrological changes resulting from these and other land uses.

Western Yellow-billed Cuckoo (Species of Special Concern):

The range of the western subspecies of this bird has contracted, and populations have declined dramatically within the remaining range, due to loss of mature closed-canopy riparian forests. Western Colorado is part of the range of this subspecies, but it appears it was never common in Colorado.

Lewis' Woodpecker (Forest Service Sensitive):

Locally common, the Lewis' Woodpecker in this area prefers open ponderosa pine forests, riparian and rural cottonwoods, and pinyon/juniper woodlands. The comparatively weak skull and bill dictate these woodpeckers' choice of wood for nesting sites. They often use previously excavated holes of other woodpeckers, but drill their own holes when they find suitably soft wood.

Northern River Otter (State Threatened):

Once extirpated from Archuleta County, the River Otter was reintroduced into the Piedra River canyon in 1978. Since that time, the River Otter has spread its range locally to include the Piedra and San Juan rivers and their tributaries, including sightings in the Stollsteimer Creek drainage.

Black-Footed Ferret (FE, SE), Gray Wolf (FE, SE) and Grizzly Bear (FT, SE): The most recent confirmed sighting of any of these three species was the 1979 killing of a female grizzly bear in the South San Juan Mountains. Habitat loss, conflicts with man and encroaching civilization have probably led to the loss of these species in Archuleta County.

Mule Deer and Elk:

According to a recent 2004 survey, these economically important species bring in over \$9 million per year to Archuleta County in the form of hunting-related expenditures. The lower elevations of Archuleta County provide important winter habitat for both of these species.

Sources:

- Fitzgerald, JP, Meaney, CA, Armstrong, DM. 1994. **Mammals of Colorado**. Niwot: Denver Museum of Natural History and University Press of Colorado.
- Armstrong, D. et al. **Bats of Colorado, Shadows in the Night.** Denver: Colorado Division of Wildlife.
- Andrews, R, Righter, R. 1992. **Colorado Birds.** Denver: Denver Museum of Natural History.
- Kingery, H., Ed. 1998. Colorado Breeding Bird Atlas. Colorado Bird Atlas Partnership.
- Hammerson, GA. 2000. Amphibians and Reptiles in Colorado, Revised Edition. Niwot: University Press of Colorado.
- Woodling, J. 1984. Game Fish of Colorado. Denver: Colorado Division of Wildlife.
- Woodling, J. 1985. Colorado's Little Fish. Denver: Colorado Division of Wildlife.
- Clarion Associates of Colorado, LLC and Colorado Division of Wildlife.

 Managing Development for People and Wildlife.
- www.wildlife.state.co.us Official website of the Colorado Division of Wildlife
- CDOW. 2005. Colorado's Comprehensive Wildlife Conservation Strategy.
- Personal Communications. Local Division of Wildlife personnel.

SSC=State Special Concern FE=Federal Endangered Red Shiner Golden Shiner Common Carp Grass Carp Longnose Sucker White Sucker Fathead Minnow Northern Pike Yellow Perch Bluegill Green Sunfish Black Crappie White Crappie Smallmouth Bass Largemouth Bass Black Bullhead Channel Catfish Kokanee Salmon Brook Trout Brown Trout Cutthroat-Rainbow hybrid Rainbow Trout Cutthroat Trout Common Name Introduced Bonytail Chub Razorback Sucker Colorado Pike Minnow Roundtail Chub Flannelmouth Sucker Bluehead Sucker Speckled Mottled Sculpin Colorado River Cutthroat Trout Dace SE=State Endangered FSS=Forest Service Sensitive Micropterus dolomieu Micropterus salmoides Oncorhynchus nerka Salvelinus fontinalis Salmo trutta Gila elegans Ptychocheilus lucius Gila robusta Catostomus latipinnis Catostomus discobolus Rhinichthys osculus Salmo clarki pleuriticus Cyprinus carpio Catostomus catostomus Catostomus commersoni Esox lucius Ameiurus melas Ictalurus punctatus Oncorhynchus clarkii X mykiss Oncorhynchus mykiss Scientific Name Xyrauchen texanus Cottus bairdii Cyprinella lutrensis *Notemigonus crysoleucas* Ctenopharyngodon idella Pimephales promelas Perca flavescens Lepomis macrochirus *Lepomis cyanellus* Pomoxis nigromaculatus Pomoxis annularis Oncorhynchus clarkii FT=Federal Threatened dds SSC, ESS SSA SSC, FSS Extirpated Archuleta County Extirpated Archuleta County Extirpated SSE Archuleta County ST=State Threatened SE S S

Woodhouse's Toad Western Chorus Frog Tiger Salamander Northern Leopard Frog New Mexico Spadefoot Canyon Treefrog

Bufo woodhousii

Known to occur Known to occur Known to occur Known to occur Likely to occur Likely to occur Likely to occur Known to occur Occurrence

> Uncommon Unknown,

Unknown Unknown Unknown

SSC, FSS

Unknown, SE, FSS

Abundance

Common

Fairly Common

Pseudacris triseriata Ambystoma tigrinum Bullfrog Boreal Toad Common Name

Hyla arenicolor

Rana catesbeiana Bufo boreas Scientific Name

Rana pipiens Spea multiplicata Archuleta County, Colorado

FSS=Forest Service Sensitive

Source: Colorado Division of Wildlife, NDIS

FT=Federal Threatened ST=State Threatened

Reptiles

Archuleta

County, Colorado

Coluber constrictor Cnemidophorus velox Chrysemys picta Lampropeltis triangulum

Sceloporus graciosus Liochlorophis vernalis Phrynosoma hernandesi

> Known to occur Likely to occur

Fairly Common

Uncommon

Known to occur

Known to occur Known to occur

Likely to occur

Unknown Common Rare Rare

Unknown

Known to Known Known Known Known

occur occur

> Uncommon, Unknown

occur occur occur Known to occur Known to occur

Common Unknown Rare Abundance

Uncommon

Eumeces gargeae Thamnophis elegans Crotalus viridis Urosaurus ornatus

> Known Known Known to

to occur to occur occur

Fairly Common Uncommon Unknown Unknown

Western Terrestrial Garter Snake

Western Rattlesnake Variable Skink Tree Lizard Smooth Green Snake Short-horned Lizard Sagebrush Lizard Racer

SE=State Endangered

Known to occur

FT=Federal Threatened

FSS=Forest Service Sensitive

ST=State Threatened

Source: Colorado Division of Wildlife, NDIS

SSC=State Special Concern **FE=Federal Endangered**

Long-tailed Vole Long-legged Myotis Long-eared Myotis Little Brown Myotis Least Chipmunk House Mouse Hoary Bat Gunnison's Prairie Dog Grizzly Bear Gray Wolf Gray Fox Golden-mantled Ground Squirrel Fringed Myotis Ermine Desert Cottontail Deer Mouse Coyote Common Porcupine Common Muskrat Colorado Chipmunk California Myotis Bushy-tailed Woodrat Brush Mouse Botta's Pocket Gopher Bobcat Black-tailed Jackrabbit Black-footed Ferret Black Bear Bighorn Sheep Big Brown Bat American Pika American Marten American Elk American American Badger Abert's Squirrel Beaver Microtus longicaudus Myotis volans Myotis evotis Myotis lucifugus Tamias minimus Mus musculus Cynomys gunnisoni Ursus arctos Spermophilus lateralis Myotis thysanodes Mustela erminea Sylvilagus audubonii Peromyscus maniculatus Myotis californicus Thomomys bottae Lepus californicus Mustela nigripes Ursus americanus Eptesious fuscus Ochotona princes Martes Americana Taxidea taxus Sciurus aberti Lasiurus cinereus Canis lupus Urocyon cinereoargenteus Canis Latrans Erethizon dorsatum Ondatra zibethicus Tamias quadrivittatus Neotoma cinerea Peromyscus boylii Lynx rutus Ovis Canadensis Cervus elaphus Castor Canadensis Known to occur Known Known Known Known Known Known Known to occur Known Known Known Known Likely to occur Known to occur Known to Known to Known to Known to occur Likely to occur Known to occur Known Known Known Known Known Likely to occur Likely to occur Known uwoun Known uwouy Known to uwour Known to occur known to occur known to to occur Fairly Common Unknown, Unknown, FE, SE Fairly Common Rare, FSS Fairly Common Uncommon, Common Fairly Common, Fo Fairly Common Common Unknown Fairly Common Fairly Common, Uncommon Uncommon Unknown, FE, SE Common Fairly Common Abundant Fairly Common Uncommon Fairly Common Unknown Unknown Common Abundant Common Uncommon Abundant Common Uncommon Fairly Common Abundant Fairly Common HT, SE ESS

Long-tailed Weasel	Mustela frenata	Known to occur	Uncommon
Lynx	Lynx Canadensis	Known to occur	Very Rare, FT, SH
Masked Shrew	Sorex cinereus	Likely to occur	Unknown
Mexican Woodrat	Neotoma mexicana	۲t	Fairly Common
Mink	Mustela vison	Known to occur	Uncommon
Montane Shrew	Sorex monticolus	Known to occur	Common
Montane Vole	Microtus montanus	Known to occur	Common
Moose	Alces alces	Known to occur	Rare
Mountain Cottontail	Sylvilagus nuttallii	Known to occur	Fairly Common
Mountain Lion	Felis concolor	Known to occur	Uncommon
Mule Deer	Odocoileus hemionus	Known to occur	Abundant
Northern Pocket Gopher	Thomomys talpoides	Known to occur	Common, SSC
Northern River Otter	Lutra Canadensis	Known to occur	Rare, ST, FSS
Pallid Bat	Antrozous pallidus	Known to occur	Fairly Common
Pine Squirrel	Tamiasciurus hudsonicus	Known to occur	Fairly Common
Pinyon Mouse	Peromyscus truei	Known to occur	Common
Raccoon	Procyon lotor	Known to occur	Fairly Common
Red Fox	Vulpes vulpes	Known to occur	Uncommon
Ringtail	Bassariscus astutus	Likely to occur	Unknown
Rock Squirrel	Spermophilus variegates	Known to occur	Fairly Common
Silver-haired Bat	Lasionycteris noctivagans	Likely to occur	Unknown
Snowshoe Hare	Lepus americanus	Known to occur	Fairly Common
Southern Red-backed Vole	Clethrionomys gapperi	Likely to occur	Unknown
Striped Skunk	Mephitis mephitis	Known to occur	Common
Water Shrew	Sorex palustris	Known to occur	Uncommon
Western Harvest Mouse	Reithrodontomys megalotis	Known to occur	Fairly Common
Western Jumping Mouse	Zapus princes	Known to occur	Fairly Common
Western Small-footed Myotis	Myotis	Likely to occur	Unknown
Western Spotted Skunk	Spilogale gracilis	Known to occur	Rare
White-tailed Jackrabbit	Lepus townsendii	Known to occur	Uncommon
White-throated Woodrat	Neotoma albigula	Known to occur	Fairly Common
Wolverine	Gulo gulo	Known to occur	Unknown, SE, FSS
Yellow-bellied Marmot	Marmota flaviventris	Known to occur	Common
Yuma Myotis	Myotis yumanensis	Likely to occur	Unknown
FE=Federal Endangered	SE=State Endangered FT=Federal Threatened	ST=State Threatened	
m	FSS=Forest Service Sensitive		
Source: Colorado Division of Wildife, NDIS	Wildife, NDIS		

はっていさしていりつりつ なつかく ぎょうこう Brown Creeper Broad-tailed Hummingbird Brewer's Sparrow Brewer's Blackbird Boreal Owl Bonaparte's Gull Blue-winged Teal Blue-gray Gnatcatche Blue Grouse Blue Grosbeak Black-throated Sparrow Black-throated Gray Warbler Black-headed Grosbeak Black-crowned Night-Heron Black-chinned Hummingbird Black-capped Chickadee Black-billed Magpie Black Swift Black Rosy Finch Black Phoebe Bewick's Wren Belted Kingfisher Barn Swallow Barn Owl Bank Swallow Band-tailed Pigeon Bald Eagle Baird's Sandpiper Ash-throated Flycatcher American Wigeon American White Pelican American Tree Sparrow American American American American American Goldfinch American Dipper WOLL COLL CLOW 1 to ta Kestrel Ropin Peregrine Falcon Aegolius funereus Amphispiza bilineata Nycticorax nycticorax Archilochus alexandri Cypseloides niger Sayornis nigricans Thryomanes bewickii Ceryle alcyon Hirundo rustica Tyto alba Columba fasciata Haliaestus leucocephalus Calidria bairdii Mylarchus cinerascens Anas Americana Pelecanus erythrorhynchos Spizella arborea Anthus rubescens Falco sparverius Carduelis tristis Cinclus mexicanus Corvus brachyrnynchos ת ליבות מלים לאם האמום לים Certhia Americana Selasphorus platycercus Spizella breweri Euphagus cyanocephalus Larus Philadelphia Anas discors Polioptila caerulea Guiraca caerulea Pheucticus melanocephalus Poecile atricapillus Pica pica Leucosticte atrata Riparia riparia Turdus migratorius Talco peregrinus Dendragapus obscurus Dendroica nigrescens anatum 77 Known to occur Known to occur Known TIMOTIV Known Known to occur Known Known Known Known uwour Tanama Known Likely to occur Known to occur Known 1000111 to occur to occur to occur LO OCCUT to occur rt O ď to occur t 0 ď ď Ç d ពី occur occur occur occur occur occur occur occur Andoor occur occur occur occur occur COCCUI occur occur occur occur occur occur STODE occur occui occui occur occur occur Fairly Common こさいつきまつか Fairly Common Fairly Common Common Unknown Uncommon Unknown, Uncommon Uncommon Uncommon Common Unknown, Common Rare, FSS Fairly Common Uncommon Uncommon Casual/Accidental Fairly Common Unknown Fairly Common Uncommon, FSS Unknown Unknown Uncommon Fairly Common Common Unknown Unknown, Unknown Uncommon Unknown Unknown Unknown Common Uncommon ratriy common No Occurrence Unknown FI, SS S H

COLDINATION DO WIND OF Golden Eagle Gadwall Franklin's Gull Cordilleran Flycatcher Cooper's Hawk Common Yellowthroat Common Snipe Common Common Common Common Common Common Grackle Cliff Swallow Clay-colored Sparrow Clark's Nutcracker Clark's Grebe Cinnamon Teal Chipping Sparrow Chihuahuan Raven Cassin's Kingbird Cassin's Finch Canyon Wren Canada Goose Calliope Hummingbird California Gull Bushtit Burrowing Owl DATE OF A CHACK Fox Sparrow European Starling Common Goldeneye Flammulated Owl Ferruginous Hawk Evening Grosbeak Eastern Kingbird Dusky Flycatcher Downy Woodpecker Dark-eyed Junco Raven Merganser Poorwill Nighthawk Loon Nucifraga Columbiana Psaltriparus minimus Mergus merganser Petrochelidon pyrrhonota Spizella pallida Aechmophorus clarkia Anas cyanoptera Spizella passerine Tyrannus vociferans Carpodacus cassinii Catherpes mexicanus Branta Canadensis Stellula calliope Larus californicus Athene cunicularia Buteo regalis Tyrannus tyrannus Picoides pubescens Junco hyemalis Accipiter cooperii Geothlypis trichas Gallinago gallinago Corvus corax Phalaenoptilus nuttallii Chordeiles minor Gavia immer Bucephala clangula Corvus cryptoleucus Regullis satrana Aquila chrysaetos Anas strepera Larus pipixcan Passerella iliaca Otus flammeolus Coccothraustes vespertinus Sturnus vulgaris Empidonax oberholseri Empidonax occidentalis Quiscalus quiscula トイプログスな さえトトライネトト Known to occur Likely to occur Known to occur TITIONIT CO OCCUT Known Known Known Likely to occur Known Known Known Known Known to occur Known to occur Likely to occur Known to occur Known to occur Known to occur Likely to occur Known to occur Known Known Known Known Known Known uwoun CWOCK Known Known Known Known Known Known Known Thown Known to occur Known to occur Known Known to occur to occur to occur ö to occur ct O ď ç ď anana attooo おおりりの oddur occur OCCUL 200001 occur occur occur occur 40000 occur occur occur OCCUR occur occur occur occui occur No occurrence, Abundant No Occurrence Fairly Common Common Uncommon Uncommon Unknown Fairly Common No Occurrence Unknown Fairly Common TOTTO Rare No Occurrence Uncommon Uncommon, Unknown, Fairly Common Rare Fairly Common Fairly Common Uncommon Fairly Common Uncommon Fairly Common Uncommon Common Uncommon Unknown Uncommon Unknown 文田片の Rare Casual/Accidental Uncommon Common Uncommon Common SSC SSE TS

750155	•	
Known to occur	Oporornis tolmiei	MacGillivray's Warbler
Known to occur	Asio otus	Long-eared Owl
Known to occur	Lanius ludovicianus	Loggerhead Shrike
Known to occur	Melospiza lincolnii	Lincoln's Sparrow
Known to occur	Melanerpes lewis	Lewis' Woodpecker
Known to occur	Aythya affinis	Lesser Scaup
Known to occur	Carduelis psaltria	Lesser Goldfinch
Likely to occur	Calidris minutilla	Least Sandpiper
Known to occur	Ixobrychus exilis	Least Bittern
Known to occur	Passerina amoena	Lazuli Bunting
Known to occur	Chondestes grammacus	Lark Sparrow
Likely to occur	Calcarius lapponicus	Lapland Longspur
Known to occur	Charadrius vociferous	Killdeer
Known to occur	Baeolophus griseus	Juniper Titmouse
Known to occur	Passerina cyanea	Indigo Bunting
Known to occur	Troglodytes aedon	House Wren
Known to occur	Passer domesticus	House Sparrow
Known to occur	Carpodacus mexicanus	House Finch
Known to occur	Eremophila alpestris	Horned Lark
Likely to occur	Podiceps auritus	Horned Grebe
Known to occur	Lophodytes cucullatus	Hooded Merganser
Known to occur	Catharus guttatus	Hermit Thrush
Likely to occur	Zonotrichia querula	Harris' Sparrow
Known to occur	Empidonax hammondii	Hammond's Flycatcher
Known to occur	Picoides villosus	Hairy Woodpecker
Known to occur	Centrocercus minimus	Gunnison Sage Grouse
Known to occur	Anas crecca	Green-winged Teal
Known to occur	Pipilo chlorurus	Green-tailed Towhee
Known to occur	Quiscalus mexicanus	Great-tailed Grackle
Known to occur	Bubo virginianus	Great Horned Owl
Known to occur	Ardea herodias	Great Blue Heron
Known to occur	Leucosticte tephrocotis	Gray-crowned Rosy Finch
Known to occur	Perisoreus Canadensis	Gray Jay
Known to occur	Empidonax wrightii	Gray Flycatcher
Known to occur	Dumetella carolinensis	Gray Catbird
Known to occur	Dendroica graciae	Grace's Warbler
Occurance	Scientific Name	Common Name
		Page 3
	cado Birds	Archuleta County, Colorado

Rare

Common Common Common Uncommon No Occurrence

Unknown Common No Occurrence

Uncommon Uncommon Casual/Accidental, SSC

Fairly Common

No Occurrence

Unknown

Fairly Common Fairly Common No Occurrence Fairly Common Fairly Common

Fairly Common

Unknown

SSE

Rare Uncommon

Abundance

Uncommon Unknown Unknown Uncommon Rare

Unknown

Common

Mountain Chickadee Mountain Bluebird Mexican Spotted Owl

Poecile gambeli Sialia currucoides Marbled Mallard

Godwit

Anas platyrhynchos

Known to occur

Common Uncommon Uncommon Unknown, Fairly Common Uncommon, FSS

Known to occur Known to occur

Known to occur

Common

Fairly Common Unknown, FT, ST No Occurrence

Likely to occur

Limosa fedoa

Strix occidentalis lucida

Page 4 Archuleta County, Colorado Birds

Mourning Dove Common Name

Known to occur Occurance

Abundance

Scientific Name

	THE RESIDENCE OF THE PROPERTY			
Mourning Dove	Zenaida macroura	Known to occur	Common	
Northern Flicker	Colaptes auratus	Known to occur	Fairly Common	
Northern Goshawk	Accipiter gentiles	Known to occur	Rare, FSS	
Northern Marrier	Circus cyaneus	Known to occur	Unknown, FSS	
Northern Mockingbird	Mimus polyglottos	Known to occur	Rare	
Northern Pintail	Anas acuta	Known to occur	Unknown	
Northern Fygmy-Owl	Glaucidium gnoma	Known to occur	Unknown	
Northern Rough-winged Swallow	Stelgidopteryx serripennis	Known to occur	Fairly Common	
Northern Saw-whet Owl	Sus	Known to occur	Uncommon	
Northern Shoveler	Anas clypeata	Known to occur	Unknown	
Olive-sided Flyoatcher	Contopus cooperi	Known to occur	Uncommon, FSS	
Orange-crowned Warbler	Vermivora celata	Known to occur	Fairly Common	
Osprey	Pandion haliaetus	Known to occur	Rare	
Pacific Loon	Gavia pacifica	Likely to occur	No Occurrence	
Peregrine Falcon	Falco peregrinus	Known to occur	Unknown	
Pied-billed Grebe	Podilymbus podiceps	Known to occur	Uncommon	
Pine Grosbeak	Pinicola enucleator	Known to occur	Uncommon	
Pine Siskin	Carduelis pinus	Known to occur	Common	
Pinyon Jay	Gymnorhinus cyanocephalus	Known to occur	Fairly Common	
Plains Sharp-tailed Grouse	Tympanuchus phasianellus james	silKnown to occur	Unknown	
Plumbeous Vireo	Vireo plumbeus	Known to occur	Fairly Common	
Prairie Falcon	Falco mexicanus	Known to occur	Uncommon	
Purple Martin	Progne subis	Known to occur	Maro Hun	
Pygmy Nuthatch	Sitta pygmaea	Known to occur	Fairly Common	
Red Crossbill	Loxia curvirostra	Known to occur	Uncommon	
Red-breasted Nuthatch	Sitta Canadensis	Known to occur	Fairly Common	
Redhead	Aythya Americana	Known to occur	Unknown	
Red-naped Sapsucker	Sphyrapicus nuchalis	Known to occur	Uncommon	
Red-necked Phalarope	Phalaropus lobatus	Likely to occur	No Occurrence	
Red-tailed Hawk	Buteo jamaicensis	Known to occur	Fairly Common	
Red-winged Blackbird	Agelaius phoeniceus	Known to occur	Abundant	
Ring-billed Gull	Larus delawarensis	Known to occur	Unknown	
Ring-necked Duck	Aythya collaris	Known to occur	Uncommon	
Ring-necked Pheasant	Phasianus colchicus	Known to occur	Unknown	
Rock Dove	Columba livia	Known to occur	Fairly Common	
Rock Wren	Salpinctes obsoletus	Known to occur	Fairly Common	
•	Buteo lagopus	Known to occur	Unknown	
Ruby-crowned Kinglet	Regulus calendula	Known to occur	Common	
Biolog Diox	OXVII TA TAMATOPTATA	Known to occur	Uncommon	

Sabine's Gull Rufous Hummingbird

Ruddy Duck

Oxyura jamaicensis

Selasphorus rufus

Known to occur Known to occur

Likely to occur

No Occurrence

Unknown Uncommon

Xema sabini

Known to occur

to occur

to oddur

Unknown, Unknown, Uncommon No Occurrence

200

Unknown

Likely to occur Known to occur

uwouy Known Known

to occur

twotty

to occur

Fairly Common

Uncommon

Known Known

to occur to occur

twoat

to occur

Fairly Common Uncommon Unknown, Known to occur Occurance

Unknown, Abundance

SSC

Unknown

SSC

cana carotina pidonax traillii extimus cix occidentalis itis macularia pilo maculates nnocitta stelleri canga rubra

thown Known Known Known

occur

Fairly Common

Common

Unknown Rare, FE,

to occur

to occur

occur

umoury

to occur

umour

to occur

Known to occur Likely to occur Known to occur

Rare

Rare

No Occurrence Fairly Common

Ixoreus naevius	Cathartes aura	Cygnus columbianus	Tachycineta bicolor	Dendroica townsendi	Myadestes townsendi	Picoides tridactylus
Likely to occur	Known to occur	Likely to occur	Known to occur	Likely to occur	Known to occur	Known to occur

No Occurrence

Common

Common Common

Uncommon

No Occurrence

No Occurrence

Common

Uncommon,

pd CO

Uncommon

Tachycineta thalassina	Pooecetes gramineus	Ixoreus naevius	Cathartes aura	Cygnus columbianus	Tachycineta bicolor	Dendroica townsendi	

achycineta thalas	Pooecetes gramineus	Ixoreus naevius	Cathartes aura	Cygnus columbianus	Tachycineta bicolor	The state of the s

) 	Tachycineta thalassin	Pooecetes gramineus	Ixoreus naevius	Cathartes aura	Cygnus cotumoranus

Rallu	Tachy	Pooecete	Ixore	Catha
ls limi	4	O C O	eus na	E COO
micola	ta tha	grami	aevius	aura

Vireo gilvus

Vermivora virginiae

Known to occur Known to occur Known to occur

to occur

Sialia mexicana

1-3	n Swallow	row	ដុន	ure	
Ral:	Tac]	Poor	HXO	Catl	7.7.0

17.1 イン・ラン・	Violet-	Vesper S	Varied	Turkey
0 0 1	green Swallow	Sparrow	Thrush	Vulture

<u> </u>	asper Sparr	aried		
	Sparrow	Thrush	Vulture	C SEL

Tundra Swan

Tree Swallow

Townsend's Warbler

Townsend's

Solitaire

Three-toed Woodpecker Swainson's Thrush Swainson's Hawk Summer Tanager Steller's Jay

*	£	£	<
	H	O:	U
	g.	<u>ب</u>	'n
		O	Œ
	Ħ	1	r
-		1	
ì	Ø	ŧΩ	U
		#5	Ť
•	Z	4	30
	4772	720	1

•	ĭ	۶	<
	H	O	U
_	Q	-	סי
	-	O	Œ
	#	1	F
	ni	1	
ì	ω	ŧΩ	U
		15	ď
)	T	Ø	10
	TO OI	æ	3

	£	달	8
	H	O:	W
	Q	<u>ب</u>	ט,
e		O	æ
	Ħ	1	ΗŞ
٠	<u>Ļ</u> -	1	
	Ø	ŧΩ	U)
,		15	a
	4-4	-270	a'Ast

Virginia's Warbler

Western Wood-Pewee

Contopus sordidulus Piranga ludoviciana Aphelocoma californica

Known to occur

Fairly Common Fairly Common

Fairly Common

Known to occur

Known to occur

Known to occur

Likely to occur

No Occurrence

Unknown

Common

Fairly Common

Uncommon

Fairly Common

Common

Fairly Common

Known to occur Known to occur Known Known Known Known

to occur

to occur

to occur

Otus kennicottii Calidris mauri Sturnella neglecta Tyrannus verticalis Aechmophorus occidentali

Tanager Scrub Jay Screech-Owl Sandpiper

Western Western Western Western Western Kingbird Western Grebe Western Bluebird Warbling Vireo

Meadowlark

c	<	<
÷	μŽ	Ø
4	O	₹Øy
2		'ס
٠.	Ø	æ
3	1	řţ.
5	1	
۸ı.	46	7.0





	Inreatened	S1=State Inreatened	r 1=rederal inreatened (tive	r i=redera	FSS=Forest Service Sensitive	FSS=	SSC=Species of Concern
		27-24242					Fire Factor of Francisco
	Common	occur	Known to	ata	Dendroica coronata		Yellow-rumped Warbler
	Uncommon	occur	Known to		Icteria virens		Yellow-breasted Chat
	Fairly Common	occur	Known to	hia	Dendroica petechia		Yellow Warbler
	No Occurrence	o occur	Likely to occur	celina	Hylocichla mustelina		Wood Thrush
	Unknown	to occur	Known to		Aix sponsa		Wood Duck
	Fairly Common	occur	Known to	ຼຸ	Wilsonia pusilla		Wilson's Warbler
	Rare	occur	Known to	1111	Empidonax traillii		Willow Flycatcher
	Uncommon	occur	Known to	/roideus	Sphyrapicus thyroideus		Williamson's Sapsucker
	Uncommon	occur	Known to occur	pavo	Meleagris gallopavo		Wild Turkey
FE, SE	No Occurrence, I	ooccur	Likely to occur		Grus Americana		Whooping Grane
	No Occurrence	ooccur	Likely to occur	_	Melanitta fusca		White-winged Scoter
	Common	occur	Known to occur	saxatalis	Aeronautes saxe		White-throated Swift
	No Occurrence	ooccur	Likely to occur	icollis	Zonotrichia albicollis		White-throated Sparrow
	Rare, #SS	occur	Known to occur	6	Lagopus leucurus		White-tailed Ptarmigan
	No Occurrence	o occur	Likely to occur	ollis	Calidris fuscicollis		White-rumped Sandpiper
	Common	occur	Known to occur	cophrys	Zonotrichia leucophrys		White-crowned Sparrow
	Fairly Common	occur	Known to occur	វុន្ធ 🕂 ន	Sitta carolinensis		White-breasted Nuthatch
	Unknown, SSC	oocur	Likely to occur	anus	Coccyzus americanus	uckoo	Western Yellow-billed Cuckoo
	Abundance	Ø	Occurance	15	Scientific Name		Common Name
							Page 6
					o Birds	olorad	Archuleta County, Colorado

Source: Colorado Division of Wildlife, NDIS

BLM & USFS

San Juan Public Lands

Terrestrial and Aquatic Wildlife Species to Consider for All Ground Disturbing Activities
Draft Updated March 8, 2010

SAN JUAN NATIONAL FOREST SENS	SITIVE FISH AND WILDLIFE SPECIES - R2, June 9, 2009
SPECIES:	HABITAT ASSOCIATION
MAMMALS	K i k z K z K z K z K z K z K z K z K z K z
American marten (also MIS) Desert bighorn sheep (also BLM Sensitive and Species of	Subalpine spruce-fir forests, alpine tundra, montane forests Dolores River canyons, grass and low shrub open habitat types with adjacent
Concern)	steep rocky areas for escape and safety; on Dolores only
Fringed myotis (also BLM Sensitive)	Pinyon-juniper and other coniferous woodlands
Gunnison's praine dog (also BLM Sensitive)	Grasslands and semidesert and montane shrublands
New Mexico meadow jumping mouse (also BLM sensitive and Federal Candidate)	Mesic grass/forb/sedge riparian habitat
North American wolverine (also State Endangered)	Rare; boreal spruce-fir forest and tundra
River ofter (also State Threatened and MIS)	Stream and river riparian Steep, high mountain terrain dominated by grass, low shrubs, rock cover and
Rocky Mountain bighom sheep	areas near open escape
Spotted bat (also BLM Sensitive)	Pinyon-juniper, shrub desert, possibly riparian
Townsend's big-eared bat (also BLM Sensitive)	Abandoned mines and caves
BIRDS	River, reservoir, and stream habitat
American bald eagle (also BLM Sensitive, State Threatened, and BCC)**	River, Jeseryoli, and stream nabilat
American bittem (Also BCC)	Marsh, swamp, or bog with cattails, rushes, grasses, & sedges
American peregrine falcon (also BLM Sensitive, BCC and	Breeds on cliffs, often in association with riparian areas, regular breeder on SJNF
PF)	Male service Edition to a visit England and all in Standard Reports
American three-toed woodpecker Black swift (also BLM Sensitive and PIF)	Mature spruce-fir forests; post-fire areas, especially stand-replacement events Vertical rock faces, near waterfalls or in dripping caves.
Brewer's sparrow (also BLM Sensitive, BCC and PIF)	Primarily sagebrush but also in mixed shrublands (rabbifbrush, greasewood, etc)
Boreal owl (also PIF)	Mature spruce-fir forest with high canopy closure
Ferruginous hawk (also BLM sensitive and BCC)	Winter migrant only; grasslands and semi-desert shrub
Flammulated owl (also BCC and PIF)	Open ponderosa pine forests; dry montane conifer or aspen forests, often with
Lewis' woodpecker (also BCC and PIF)	dense saplings Open ponderosa pine forest, riparian, and pinyon-juniper woodlands
Loggerhead shrike	Lowland riparian, pinyon-juniper woodlands, semi-desert shrublands
Northern goshawk (also BLM Sensitive and MIS)	Ponderosa pine, aspen, mixed-conifer and spruce-fir forests
Northern harrier	Grasslands, agricultural lands, mountain sagebrush, and marshes, requires
Olive-sided flycatcher (also PIF)	abundant cover (same as for short-eared owl) Snags and conifers, often on steep slopes, open stands, and natural openings
Purple martin (also PIF)	Mature aspen stands near streams, springs, or ponds
Short-eared owl (also PIF)	Open habitats including grasslands; marsh edges, shrub-steppe, and agricultural
	lands; requires taller grass cover than Northern harrier
Western burrowing owl (also BLM Sensitive, State Threatened and BCC)	Prairie dog colonies with vacant burrows; grasslands, shrublands, deserts
Western yellow-billed cuckoo: (also Federal Candidate, BLM	Riparian; gallery cottonwoods with dense understory
Sensitive and BCC)	
White-tailed ptarmigan (also PIF)	Alpine tundra, especially with rock fields and willow carrs
AMPHIBIANS	District the second sec
Boreal toad (also BLM Sensitive and State Endangered) Northern leopard frog (also BLM Sensitive)	Damp conditions; marshes, wet meadows, streams, ponds, lakes Water's edge; wet meadows, banks of marshes and ponds
FISH	AND THE PROPERTY OF THE PROPER
Bluehead sucker (also BLM Sensitive)	Tributaries of the Colorado and San Juan Rivers
Colorado River cutthroat trout (also BLM Sensitive and MIS)	Freshwater streams
Flannelmouth sucker (also BLM Sensitive)	Tributaries of the Colorado and San Juan Rivers Tributaries of the Colorado and San Juan Rivers
Roundtail chub (also BLM Sensitive) INSECTS	migulates of the coolean and sall audit Rivers
Great Basin silverspot butterfly (also BLM Sensitive)	Mid to lower elevation riparian; mostly fied to springs

Target Basin silverspot outlerny (also be in Sensitive) | Initiation to the control of the contr

SPECIES	HABITAT ASSOCIATION
MAMMALS	
Allen's big-eared bat	Woodlands, mines, and caves
Big free-tailed bat	Rocky and canyon country
Desert bighorn sheep (also FS Sensitive and BLM Species	Dolores River canyons, grass and low shrub open habitat types with adjacent
of Concern)	steep rocky areas for escape and safety; on Dolores only
Fringed myotis (also FS Sensitive)	Pinyon-juniper and other coniferous woodlands Grasslands and semidesert and montane shrublands
Gunnison's prairie dog (also FS Sensitive)	
Spotted bat (also FS Sensitive)	Pinyon-juniper, shrub desert, possibly riparian Abandoned mines and caves
Townsend's big-eared bat (also FS Sensitive)	
New Mexico meadow jumping mouse (also FS sensitive and Federal Candidate) BIRDS	Mesic grass/forb/sedge riparian habitat
American bald eagle (also FS sensitive, State Threatened, and BCC)**	River, reservoir, and stream habitat
American peregrine falcon (also FS Sensitive, BCC and PIF)	Breeds on cliffs, often in association with riparian areas; regular breeder SJFO administrative unit
Black swift (also FS Sensitive and PIF)	Vertical rock faces, near waterfalls or in dripping caves
Brewer's sparrow (also FS Sensitive, BCC and PIF)	Primarily sagebrush but also in mixed shrublands (rabbitbrush, greasewood, etc)
Columbian sharp-tailed grouse (also MIS)	Oak/service berry shrublands, often interspersed with sagebrush; aspen forests;
	irrigated pasture; recently reintroduced near Dolores, not found on other districts
Ferruginous hawk (also FS Sensitive and BCC)	Grasslands and semi-desert shrub; not known to breed but a regular winter resident on SJFO administrative unit
Gunnison sage grouse (also BCC and PIF)	Sagebrush grasslands; two small populations known to be resident on SJFO administrative unit
Northern goshawk (also FS Sensitive and MIS)	Ponderosa pine, aspen, mixed-conifer, and spruce-fir forests
Western burrowing owl (also FS Sensitive, State Threatened and BCC)	Prairie dog colonies with vacant burrows; grasslands, shrublands, deserts
Western yellow-billed cuckoo (also Federal Candidate, FS Sensitive and BCC)	Riparian; gallery cottonwoods with dense understory
White-faced lbis AMPHIBIANS	Spring/Fall migrant only; wet meadows, marsh edges, and reservoir shorelines
Boreal toad (also FS Sensitive and State Endangered)	Damp conditions; marshes, wet meadows, streams, ponds, lakes
Canyon treefrog	Intermittent streams and pools in deep rocky canyons. Known occurrence limited to CANM
Northern leopard frog (also FS Sensitive)	Water's edge; wet meadows, banks of marshes and ponds
REPTILES	Francis o ougo, months out to out that of the out of th
Desert spiny lizard	Shrub-covered dirt banks and sparsely vegetated rocky areas near flowing streams
Longnose leopard lizard	Shrublands with open ground
FISH	T S
Bluehead sucker (also FS Sensitive)	Occurs downstream in tributaries of the Colorado and San Juan Rivers, not known to occur on the SJFO administrative unit
Colorado River cutthroat trout (also FS Sensitive and MIS)	Freshwater streams
Flannelmouth sucker (also FS Sensitive)	Tributaries of the Colorado and San Juan Rivers
Roundtail chub (also FS Sensitive)	Tributaries of the Colorado and San Juan Rivers
INSECTS	
Great Basin silverspot butterfly (also FS Sensitive)	Mid to lower elevation riparian; mostly tied to springs
SAN JUAN MATIONAL FOREST FISH AND WILL Resource M SPECIES MAMMALS Abort's squinel American marten (also FS sensitive) Blackbear Canada lynx (also State Endangered and hederal	DLIFE MANAGEMENT INDICATOR SPECIES — 1983/1992 Land and lanagement Plan (Forest Plan) HABITAT ASSOCIATION Ponderosa pine forests Sprice-fir, recol-moist mixed contier. Riperian/Wellands All forested habitats Sprice-fir, recol moist mixed contier, high elevation aspen mixed with sprice-or cool-moist mixed contier, and willow liperian adjacent forthe above habitats.
lihreatened) av Salas Sa	All forested and non-forested habitats

Canada lynx (Endangered, also Federal Threatened and	High elevation aspen and spruce-fir forests
MAMMALS	
SPECIES	HABITAT ASSOCIATION
OCCURSO DITIONI OF MEDINE CIOTHE	October 15, 2007
	G OF ENDANGERED and THREATENED FISH AND WILDLIFE -
NSECTS Incompangre fritillary butterfly (Endangered, also MIS)	Alpine above 13,000 feet elevation; snow willow
Razorback sucker (Endangered, also State Endangered)	Tributaries of the Colorado and San Juan Rivers
Humpback chub (Endangered, also State Threatened)	Tributaries of the Colorado and San Juan Rivers
Greenback cutthroat trout (Threatened, also State Threatened)	Tributaries of the Colorado River
Colorado pikeminnow (Endangered, also State Threatened)	Tributaries of the Colorado and San Juan Rivers
lonytail (Endangered, also State Endangered)	Tributaries of the Colorado and San Juan Rivers
Sensitive, BCC)	
Vestern yellow-billed cuckoo (Candidate, also FS and BLM	Riparian; gallery cottonwoods with dense understory
Southwestern willow flycatcher (Endangered, also State Endangened, MIS, and BCC)	Willow and tamarisk riparian
flexican spotted owl (Threatened, also State Threatened, flS and PIF)	Forested canyon bottoms; only one confirmed occurrence on SJPLC
BIRDS	
lew Mexico meadow jumping mouse (also FS and BLM ensitive)	Mesic grass/forb/sedge riparian habitat
Canada lynx (Threatened, also State Endangered and MIS)	High elevation spruce-fir and mixed-conifer forests, especially mixed with aspen
MAMMALS	TIADITAL AUGUSTION
SPECIES CANDIDATE	S FOR LISTING –March 8, 2010 HABITAT ASSOCIATION
	ENED AND ENDANGERED FISH AND WILDLIFE SPECIES, AND
ronghom antelope	Sagebrush grasslands
	steep rocky areas for escape and safety; on Dolores only
AMMALS esert bighorn sheep (Also BLM Sensitive)	Dolores River canyons, grass and low shrub open habitat types with adjacent
SPECIES	HABITAT ASSOCIATION
	PECIES OF CONCERN – 1993 Resource Management Plan
ncompangre fittillary butterfly (also frederal Endangered)	
NSECTS:	AND THE PROPERTY OF THE PROPER
olorado River cuttingat nout (also ES and BLM Sensitive) Rainbow tratif	Rreshwater streams. Areshwater streams, lakes, and reservoirs
rownipouj	Ereshwateustreams tolerant of warm temperatures lakes reservoirs.
Breok Hould 19 19 19 19 19 19 19 19 19 19 19 19 19	Cold, pure, iurbulentifieshwatenstreams; takes, reservoirs
ndangered, and BOQ) (SRI	
outhwestern-willow-liveatche-talso-State-and Federal	-Willownipanamwith patch size 30-ff-x-30-ft-x-5-ff-fall-up-to-2/recrever larger-
lountain raideoirg Iorthérrugoshawk (also FS and BLM Sensitive)	Mature deciduous, conferous and mixed forests
ind PT5) Vountain: bluebird	reanyons - Pinyon-juniper-woodands-aspentiorest-mountain-grasslands
/exicamspolicorowi (also State and frederal inheatened	Mixed confler or ponderosarpine/mixed confler located in steep rock welled
leniam sturkey.	unassions meacows ponderosa piner camber data no open mentane torests. aspen
vialiare)	Wetlands: larger marshes and rivers during non-breeding. Crassaurbs meadows: ponderosa pine/Gambel pak and open mentane forests:
lairy,woodpecker.	Profiderosarpine, spruce itt Jaspen, cinyon junicet i idarian idresis
argan talled townee (also PIE)	timgated pasture; recently reiniroduced near Dolores, not tourd on other districts. Dry shrubby hillsides, sagebrush flats, oakbrush, shrublands
olumban sharp-tailed grouse (also BLM:Sensitive)	Oak/service/beny/shrublards, often interspensed with sage orush, as centionests,
iver ofter (also ES Sensilive and State Threatened). IRDS	
	Primarily large water courses with fish

River ofter (Threatened, also FS Sensitive and MIS)	Stream and river riparian
BIRDS	
American bald eagle (Threatened, also BLM and FS Sensitive, and BCC)	River, reservoir, and stream habitat
Western Burrowing owl (Threatened, also FS and BLM Sensitive and BCC)	Rodent burrows; grasslands, shrublands, deserts
Mexican spotted owl (Threatened, also Federal Threatened, MIS, and PIF)	Forested canyon bottoms
Southwestern willow flycatcher (Endangered, also Federal Endangered, MIS, and BCC) AMPHIBIANS	Willow and tamarisk riparian
Boreal toad (Endangered, also FS and BLM Sensitive)	Damp conditions; marshes, wet meadows, streams, ponds, lakes
Bonytail (Endangered, also Federal Endangered)	Tributaries of the Colorado and San Juan Rivers
Colorado pikeminnow (Threatened, also Federal Endangered)	Tributaries of the Colorado and San Juan Rivers
Greenback cutthroat trout (Threatened, also Federal Threatened)	Tributaries of the Colorado River
Humpback chub (Threatened, also Federal Endangered)	Tributaries of the Colorado and San Juan Rivers
Razorback sucker (Endangered, also Federal Endangered)	Tributaries of the Colorado and San Juan Rivers
US FISH AND WILDLIFE SERVICE BIRDS O	F CONSERVATION CONCERN - Bird Conservation Region 16,
	ockies/Colorado Plateau – 2008
SPECIES	HABITAT ASSOCIATION
American bald eagle (also FS and BLM Sensitive, State	River, reservoir, and stream habitat
Threatened, and BCC)	
American bittern (Also FS Sensitive)	Marsh, swamp, or bog with cattails, rushes, grasses, & sedges
American peregrine falcon (also BLM and FS Sensitive and PIF)	Cliffs and often in association with riparian areas
Brewer's sparrow (also FS and BLM Sensitive and PIF)	Primarily sagebrush but also in mixed shrublands (rabbitbrush, greasewood, etc)
Brown-capped rosy-finch (Also PIF)	Rock faces in alpine tundra, often in association with snow fields
Cassin's finch	6,000 – 11,000 feet; from pinyon-juniper through spruce-fir forests in Colorado
Ferruginous hawk (also BLM and FS Sensitive)	Winter migrant only; grasslands and semidesert shrub
Flammulated owl (also FS Sensitive and PIF)	Open ponderosa pine forests; dry montane conifer or aspen forests, often with dense saplings
Golden eagle	Open habitats including grasslands, sagebrush, farmlands, and tundra
Gray vireo (BLM land only)	Mesas, steep hillsides, canyons, & wide valleys where junipers are grow spaced apart; grasses, sagebrush, and desert scrub flourish among the juniper
Grace's warbler (also PIF)	Ponderosa pine with a scrub oak understory
Gunnison sage grouse (also BLM Sensitive and PIF)	Sagebrush grasslands; not on FS
Juniper titmouse	Pinyon-juniper; cavity nester
Lewis' woodpecker (also FS Sensitive and PIF)	Open pine forest, riparian, and pinyon-juniper woodlands
Pinyon jay	Thrive in pinyon-juniper woodlands
Prairie falcon	Cliff faces in open country; compete with peregrines and golden eagles for nest sites
Southwestern willow flycatcher (also State and Federal Endangered, and MIS)	Willow riparian with patch size 30 ft. x 30 ft. x 5 ft. tall, up to 1/4 acre or larger
Western burrowing owl (also FS and BLM Sensitive and State Threatened)	Rodent burrows; grasslands, shrublands, deserts
Western yellow-billed cuckoo (also Federal Candidate and FS and BLM Sensitive)	Riparian; gallery cottonwoods with dense understory
	BIRD CONSERVATION PLAN - Physiographic Area 62, ocky Mountains – January 2000
SPECIES	HABITAT ASSOCIATION
ALPINE TUNDRA	
American pipit	Alpine tundra and occasionally montane meadows
Brown-capped rosy-finch (Also BCC)	Rock faces in alpine tundra, often in association with snow fields
White-tailed ptarmigan (also FS Sensitive)	Alpine tundra, especially with rock fields and willow carrs
ASPEN	
Broad-tailed hummingbird	Montane forests and shrublands, especially aspen, riparian, pinyon-juniper

	woodlands and ponderosa pine
Purple martin (also FS Sensitive)	Mature aspen stands near streams, springs, or ponds
Red-naped sapsucker	Mature aspen stands near willows and cottonwoods
Violet-green swallow	Cliffs; snags with cavities, especially in aspen and ponderosa pine
CLIFF/ROCK	
American peregrine falcon (also BLM and FS Sensitive and BCC)	Cliffs, usually in association with riparian areas and mountain parks
Black swift (also FS and BLM Sensitive)	Vertical rock faces, near waterfalls or in dripping caves
HIGH ELEVATION RIPARIAN	
American dipper	Cliffs along fast-moving streams
Cordifleran flycatcher	Moist montane and subalpine forests with streams, steep ravines and cliffs
MacGillivray's warbler	Willow carrs, deciduous riparian, montane shrublands and Gambel oak
Wilson's warbler	Willow carrs and alder thickets, especially along streams and ponds
LOWLAND RIPARIAN	
Lazuli Bunting	Mixed mountain shrublands, riparian woodlands with dense shrubs
Lewis' woodpecker (also FS Sensitive and BCC)	Open pine forest, riparian, and pinyon-juniper woodlands
MIXED CONIFER	
Dusky grouse	Conifer forests with open canopy and shrub understory
Williamson's sapsucker	Conifer forests, often mixed with aspen from 7,000 – 10,700 feet; aspen is an essential element
MOUNTAIN SHRUBLAND	
Green-tailed towhee (also MIS)	Dry shrubby hillsides, sagebrush flats, oakbrush, shrublands
Virginia's warbler	Dense shrublands and scrub forests associated with mesa slopes, foothills, open ravines, & valleys
PONDEROSA PINE	
Band-tailed pigeon	Mature ponderosa pine and pinyon pine with mast-producing Gambel oak
Flammulated owl (also FS Sensitive and BCC)	Open ponderosa pine forests; dry montane conifer or aspen forests, often with dense saplings
Grace's warbler (also BCC)	Ponderosa pine with a scrub oak understory
Lewis' woodpecker (also FS Sensitive and BCC)	Open pine forest, riparian, and pinyon-juniper woodlands
Mexican spotted owl (also Federal Threatened, State Threatened and MIS)	Forested canyon bottoms; only one confirmed occurrence on SJPLC
SAGEBRUSH SHRUBLAND	
Brewer's sparrow (also FS and BLM Sensitive and BCC)	Primarily sagebrush but also in mixed shrublands (rabbitbrush, greasewood, etc)
Gunnison sage grouse (also BLM Sensitive and BCC)	Sagebrush grasslands; (BLM only, not on FS)
Sage sparrow (BLM land only)	Large, low-elevation stands of big sagebrush or mixed big sagebrush and greasewood (BLM only)
SPRUCE-FIR	
Boreal owl (also FS Sensitive)	Mature spruce-fir forest with high canopy closure
Hammond's flycatcher	Mature closed-canopy spruce-fir, mixed-conifer and ponderosa pine, especially with limited understory
Olive-sided flycatcher (also FS Sensitive)	Snags and conifers, often on steep slopes, open stands, and natural openings
WETLANDS	
Short-eared owl (also FS Sensitive)	Open habitats including grasslands, marsh edges, shrub-steppe, and agricultural lands (same as for Northern harrier)
Willet	Wetlands, does not breed and is uncommon migrant on SJPLC

^{*}MIS = Management Indicator Species

References

Andrews, R., and R. Righter. 1992. Colorado Birds. Denver Museum of Natural History, Denver, CO, 442 pp.

Beidleman, C. A. 2000. Partners in Flight land bird conservation plan, Colorado, Ver. 1.0. Colorado Division of Wildlife, Denver, CO.

Birds of Conservation Concern (Southern Rockies/Colorado Plateau), U.S. Fish and Wildlife Onnia Dinia at Minnetan Dint Management 0000

^{*}BCC = Birds of Conservation Concern **With the July 2007 de-listing, the Bald Eagle automatically reverts to a Region 2 sensitive species for a period of at least 5 years. The species is now also considered a BLM sensitive species.

http://wildlife.state.co.us/WildlifeSpecies/SpeciesOfConcern/ThreatenedEndangeredList/ListOfThreatenedAndEndangeredSpecies.htm. Accessed 10/27/2008.

Hammerson, G. A. 1999. Amphibians and Reptiles in Colorado, Second Edition. Colorado Division of Wildlife, Denver, CO, 131 pp.

Fitzgerald, J.P., C. A. Meaney, and D.M. Armstrong. 1994. Mammals of Colorado. Denver Museum

BLM State Director's Sensitive Species List, Information Bulletin Number CO-2010-007, December

Colorado Division of Wildlife, Colorado Listing of Endangered, Threatened and Wildlife Species of

Special Concern, available on the world wide web at:

15, 2009.

Partnership and Colorado Division of Wildlife, Denver, CO, 636 pp.
USDA Forest Service Region 2 Regional Forester's Sensitive Species List, FSM 2600-2009-1, June 9, 2009.

Kingerv, H.E., editor, 1998. Colorado Breeding Bird Atlas. Colorado Breeding Bird Atlas

of Natural History and University Press of Colorado, Denver, CO, 467 pp.

USDI Fish and Wildlife Service. San Juan Public Lands Unit Species List, March 8, 2010.

Updated June 24, 2009

http://www.fws.gov/mountain-prairie/endspp/CountyLists/Colorado.pdf). The web site county lists were updated January of 2010. To keep current, we are again submitting the unit list for your concurrence, changes are noted and included in the Agency lists below based on the updated county lists. A new list will be submitted if changes occur prior to the next scheduled list concurrence. The list is based on species that occur or may reasonably occur on the Forest Service (FS) and Bureau of Land Management (BLM), and potentially could be affected by our management activities.

We request your concurrence that the following list represents those species we will consider for consultation purposes when conducting biological assessments and evaluations on FS and the BLM. We propose keeping a separate list for each agency, as presented in earlier correspondence.

Federally Listed/Proposed/Candidate Species - San Juan Public Lands, FS

Animals

Yellow-billed cuckoo (Candidate)
New Mexican meadow jumping mouse (Candidate)
Canada lynx (Threatened)
Uncompangre fritillary butterfly (Endangered)
Southwestern willow flycatcher (Endangered)
Mexican spotted owl (Threatened)
Greenback cutthroat trout (Threatened)
Colorado pikeminnow (Endangered)
Razorback sucker (Endangered)
Humpback chub (Endangered)
Bonytail (Endangered)

Coccyzus americanus
Zapus hudsonius luteus
Lynx Canadensis
Boloria acrocnema
Empidonax traillii extimus
Strix occidentalis lucida
Oncorhynchus clarki stomias
Ptychocheilus lucius
Xyrauchen texanus
Gila cypha
Gila elegans

Plants

Knowlton's cactus (Endangered)
Mancos milkvetch (Endangered)
Mesa Verde cactus (Threatened)
Sleeping Ute milkvetch (Candidate)
Pagosa skyrocket (Candidate)

Pediocactus knowltonii Astragalus humillimus Scierocactus mesae-verdae Astragalus tortipes Ipomopsis polyantha

Candidate species are managed for as a sensitive species under Forest Service policy. Effects to sensitive species are assessed through the biological evaluation process to assure that the best conservation practices are applied.

The following species appear on the consolidated county lists but do not appear on the above Forest Service list for the following reasons:

As per concurrence from your office in the letter dated February 6, 2004, the black-footed ferret (*Mustela nigripes*) was not part of the unit species for FS lands managed by the Dolores, Pagosa Springs, Columbine, and Durango offices. The rationale researched by the L1 Team for the San Juan and San Luis Valley Public Lands Centers recognizes the species as extirpated from this portion of its former range with no reasonable anticipation of natural re-colonization or as a release site as part of recovery efforts.

The 12-month Finding for the Gunnison's prairie dog (*Cynomys gunnison*) determined that listing of the northeastern or "montane" portion of the species' range under the Endangered Species Act of 1973 is "warranted, but precluded" making the species a candidate in this portion of its range. The attached Figure 1 map shows the montane and prairie range for the species from the Federal Register notice for areas including the San Juan Public Lands. Although the Forest Service portion of San Juan Public Lands do have portions of Hinsdale, Mineral, Rio Grande, and Conejos counties on the San Juan National Forest, those portions fall outside the range of the montane